
AWS Device Farm
API Reference
API Version 2015-06-23



AWS Device Farm: API Reference

Copyright © 2017 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateDevicePool	4
Request Syntax	4
Request Parameters	4
Response Syntax	5
Response Elements	5
Errors	5
See Also	6
CreateNetworkProfile	7
Request Syntax	7
Request Parameters	7
Response Syntax	9
Response Elements	9
Errors	9
See Also	10
CreateProject	11
Request Syntax	11
Request Parameters	11
Response Syntax	11
Response Elements	11
Errors	12
See Also	12
CreateRemoteAccessSession	13
Request Syntax	13
Request Parameters	13
Response Syntax	14
Response Elements	14
Errors	15
See Also	15
CreateUpload	16
Request Syntax	16
Request Parameters	16
Response Syntax	17
Response Elements	17
Errors	18
See Also	18
DeleteDevicePool	19
Request Syntax	19
Request Parameters	19
Response Elements	19
Errors	19
See Also	20
DeleteNetworkProfile	21
Request Syntax	21
Request Parameters	21
Response Elements	21
Errors	21
See Also	22
DeleteProject	23
Request Syntax	23
Request Parameters	23
Response Elements	23
Errors	23

See Also	24
DeleteRemoteAccessSession	25
Request Syntax	25
Request Parameters	25
Response Elements	25
Errors	25
See Also	26
DeleteRun	27
Request Syntax	27
Request Parameters	27
Response Elements	27
Errors	27
See Also	28
DeleteUpload	29
Request Syntax	29
Request Parameters	29
Response Elements	29
Errors	29
See Also	30
GetAccountSettings	31
Response Syntax	31
Response Elements	31
Errors	31
See Also	32
GetDevice	33
Request Syntax	33
Request Parameters	33
Response Syntax	33
Response Elements	34
Errors	34
See Also	34
GetDevicePool	35
Request Syntax	35
Request Parameters	35
Response Syntax	35
Response Elements	35
Errors	36
See Also	36
GetDevicePoolCompatibility	37
Request Syntax	37
Request Parameters	37
Response Syntax	38
Response Elements	39
Errors	40
See Also	40
GetJob	41
Request Syntax	41
Request Parameters	41
Response Syntax	41
Response Elements	42
Errors	42
See Also	43
GetNetworkProfile	44
Request Syntax	44
Request Parameters	44
Response Syntax	44
Response Elements	44

Errors	45
See Also	45
GetOfferingStatus	46
Request Syntax	46
Request Parameters	46
Response Syntax	46
Response Elements	47
Errors	47
Example	48
See Also	48
GetProject	50
Request Syntax	50
Request Parameters	50
Response Syntax	50
Response Elements	50
Errors	50
See Also	51
GetRemoteAccessSession	52
Request Syntax	52
Request Parameters	52
Response Syntax	52
Response Elements	53
Errors	53
See Also	53
GetRun	55
Request Syntax	55
Request Parameters	55
Response Syntax	55
Response Elements	56
Errors	56
See Also	56
GetSuite	58
Request Syntax	58
Request Parameters	58
Response Syntax	58
Response Elements	59
Errors	59
See Also	59
GetTest	60
Request Syntax	60
Request Parameters	60
Response Syntax	60
Response Elements	61
Errors	61
See Also	61
GetUpload	62
Request Syntax	62
Request Parameters	62
Response Syntax	62
Response Elements	62
Errors	63
See Also	63
InstallToRemoteAccessSession	64
Request Syntax	64
Request Parameters	64
Response Syntax	64
Response Elements	65

Errors	65
See Also	65
ListArtifacts	66
Request Syntax	66
Request Parameters	66
Response Syntax	66
Response Elements	67
Errors	67
See Also	68
ListDevicePools	69
Request Syntax	69
Request Parameters	69
Response Syntax	69
Response Elements	70
Errors	70
See Also	71
ListDevices	72
Request Syntax	72
Request Parameters	72
Response Syntax	72
Response Elements	73
Errors	73
See Also	74
ListJobs	75
Request Syntax	75
Request Parameters	75
Response Syntax	75
Response Elements	76
Errors	77
See Also	77
ListNetworkProfiles	78
Request Syntax	78
Request Parameters	78
Response Syntax	78
Response Elements	79
Errors	79
See Also	80
ListOfferingPromotions	81
Request Syntax	81
Request Parameters	81
Response Syntax	81
Response Elements	81
Errors	82
See Also	82
ListOfferings	83
Request Syntax	83
Request Parameters	83
Response Syntax	83
Response Elements	84
Errors	84
Example	84
See Also	85
ListOfferingTransactions	86
Request Syntax	86
Request Parameters	86
Response Syntax	86
Response Elements	87

Errors	87
Example	88
See Also	93
ListProjects	94
Request Syntax	94
Request Parameters	94
Response Syntax	94
Response Elements	94
Errors	95
See Also	95
ListRemoteAccessSessions	97
Request Syntax	97
Request Parameters	97
Response Syntax	97
Response Elements	98
Errors	98
See Also	99
ListRuns	100
Request Syntax	100
Request Parameters	100
Response Syntax	100
Response Elements	101
Errors	101
See Also	102
ListSamples	103
Request Syntax	103
Request Parameters	103
Response Syntax	103
Response Elements	103
Errors	104
See Also	104
ListSuites	106
Request Syntax	106
Request Parameters	106
Response Syntax	106
Response Elements	107
Errors	107
See Also	108
ListTests	109
Request Syntax	109
Request Parameters	109
Response Syntax	109
Response Elements	110
Errors	110
See Also	111
ListUniqueProblems	112
Request Syntax	112
Request Parameters	112
Response Syntax	112
Response Elements	113
Errors	114
See Also	114
ListUploads	115
Request Syntax	115
Request Parameters	115
Response Syntax	115
Response Elements	116

Errors	116
See Also	116
PurchaseOffering	118
Request Syntax	118
Request Parameters	118
Response Syntax	118
Response Elements	119
Errors	119
Example	120
See Also	120
RenewOffering	122
Request Syntax	122
Request Parameters	122
Response Syntax	122
Response Elements	123
Errors	123
Example	124
See Also	124
ScheduleRun	125
Request Syntax	125
Request Parameters	125
Response Syntax	126
Response Elements	127
Errors	127
See Also	128
StopRemoteAccessSession	129
Request Syntax	129
Request Parameters	129
Response Syntax	129
Response Elements	130
Errors	130
See Also	130
StopRun	132
Request Syntax	132
Request Parameters	132
Response Syntax	132
Response Elements	133
Errors	133
See Also	134
UpdateDevicePool	135
Request Syntax	135
Request Parameters	135
Response Syntax	136
Response Elements	136
Errors	136
See Also	137
UpdateNetworkProfile	138
Request Syntax	138
Request Parameters	138
Response Syntax	140
Response Elements	140
Errors	140
See Also	141
UpdateProject	142
Request Syntax	142
Request Parameters	142
Response Syntax	142

Response Elements	143
Errors	143
See Also	143
Data Types	144
AccountSettings	146
Contents	146
See Also	147
Artifact	148
Contents	148
See Also	149
Counters	150
Contents	150
See Also	151
CPU	152
Contents	152
See Also	152
CreateRemoteAccessSessionConfiguration	153
Contents	153
See Also	153
Device	154
Contents	154
See Also	156
DeviceMinutes	157
Contents	157
See Also	157
DevicePool	158
Contents	158
See Also	158
DevicePoolCompatibilityResult	160
Contents	160
See Also	160
ExecutionConfiguration	161
Contents	161
See Also	161
IncompatibilityMessage	162
Contents	162
See Also	162
Job	163
Contents	163
See Also	165
Location	166
Contents	166
See Also	166
MonetaryAmount	167
Contents	167
See Also	167
NetworkProfile	168
Contents	168
See Also	169
Offering	170
Contents	170
See Also	170
OfferingPromotion	172
Contents	172
See Also	172
OfferingStatus	173
Contents	173

See Also	173
OfferingTransaction	174
Contents	174
See Also	174
Problem	175
Contents	175
See Also	176
ProblemDetail	177
Contents	177
See Also	177
Project	178
Contents	178
See Also	178
Radios	179
Contents	179
See Also	179
RecurringCharge	180
Contents	180
See Also	180
RemoteAccessSession	181
Contents	181
See Also	183
Resolution	184
Contents	184
See Also	184
Rule	185
Contents	185
See Also	185
Run	187
Contents	187
See Also	190
Sample	191
Contents	191
See Also	192
ScheduleRunConfiguration	193
Contents	193
See Also	194
ScheduleRunTest	195
Contents	195
See Also	197
Suite	198
Contents	198
See Also	200
Test	201
Contents	201
See Also	203
TrialMinutes	204
Contents	204
See Also	204
UniqueProblem	205
Contents	205
See Also	205
Upload	206
Contents	206
See Also	208
Common Parameters	209
Common Errors	211

Welcome

AWS Device Farm is a service that enables mobile app developers to test Android, iOS, and Fire OS apps on physical phones, tablets, and other devices in the cloud.

This document was last published on May 19, 2017.

Actions

The following actions are supported:

- [CreateDevicePool](#) (p. 4)
- [CreateNetworkProfile](#) (p. 7)
- [CreateProject](#) (p. 11)
- [CreateRemoteAccessSession](#) (p. 13)
- [CreateUpload](#) (p. 16)
- [DeleteDevicePool](#) (p. 19)
- [DeleteNetworkProfile](#) (p. 21)
- [DeleteProject](#) (p. 23)
- [DeleteRemoteAccessSession](#) (p. 25)
- [DeleteRun](#) (p. 27)
- [DeleteUpload](#) (p. 29)
- [GetAccountSettings](#) (p. 31)
- [GetDevice](#) (p. 33)
- [GetDevicePool](#) (p. 35)
- [GetDevicePoolCompatibility](#) (p. 37)
- [GetJob](#) (p. 41)
- [GetNetworkProfile](#) (p. 44)
- [GetOfferingStatus](#) (p. 46)
- [GetProject](#) (p. 50)
- [GetRemoteAccessSession](#) (p. 52)
- [GetRun](#) (p. 55)
- [GetSuite](#) (p. 58)
- [GetTest](#) (p. 60)
- [GetUpload](#) (p. 62)
- [InstallToRemoteAccessSession](#) (p. 64)
- [ListArtifacts](#) (p. 66)
- [ListDevicePools](#) (p. 69)
- [ListDevices](#) (p. 72)
- [ListJobs](#) (p. 75)

- [ListNetworkProfiles](#) (p. 78)
- [ListOfferingPromotions](#) (p. 81)
- [ListOfferings](#) (p. 83)
- [ListOfferingTransactions](#) (p. 86)
- [ListProjects](#) (p. 94)
- [ListRemoteAccessSessions](#) (p. 97)
- [ListRuns](#) (p. 100)
- [ListSamples](#) (p. 103)
- [ListSuites](#) (p. 106)
- [ListTests](#) (p. 109)
- [ListUniqueProblems](#) (p. 112)
- [ListUploads](#) (p. 115)
- [PurchaseOffering](#) (p. 118)
- [RenewOffering](#) (p. 122)
- [ScheduleRun](#) (p. 125)
- [StopRemoteAccessSession](#) (p. 129)
- [StopRun](#) (p. 132)
- [UpdateDevicePool](#) (p. 135)
- [UpdateNetworkProfile](#) (p. 138)
- [UpdateProject](#) (p. 142)

CreateDevicePool

Creates a device pool.

Request Syntax

```
{
  "description": "string",
  "name": "string",
  "projectArn": "string",
  "rules": [
    {
      "attribute": "string",
      "operator": "string",
      "value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

description (p. 4)

The device pool's description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

name (p. 4)

The device pool's name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

projectArn (p. 4)

The ARN of the project for the device pool.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

rules (p. 4)

The device pool's rules.

Type: Array of [Rule \(p. 185\)](#) objects

Required: Yes

Response Syntax

```
{
  "devicePool": {
    "arn": "string",
    "description": "string",
    "name": "string",
    "rules": [
      {
        "attribute": "string",
        "operator": "string",
        "value": "string"
      }
    ],
    "type": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

devicePool (p. 5)

The newly created device pool.

Type: [DevicePool](#) (p. 158) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

CreateNetworkProfile

Creates a network profile.

Request Syntax

```
{  
  "description": "string",  
  "downlinkBandwidthBits": number,  
  "downlinkDelayMs": number,  
  "downlinkJitterMs": number,  
  "downlinkLossPercent": number,  
  "name": "string",  
  "projectArn": "string",  
  "type": "string",  
  "uplinkBandwidthBits": number,  
  "uplinkDelayMs": number,  
  "uplinkJitterMs": number,  
  "uplinkLossPercent": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

[description](#) (p. 7)

The description of the network profile.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

[downlinkBandwidthBits](#) (p. 7)

The data throughput rate in bits per second, as an integer from 0 to 104857600.

Type: Long

Required: No

[downlinkDelayMs](#) (p. 7)

Delay time for all packets to destination in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

[downlinkJitterMs](#) (p. 7)

Time variation in the delay of received packets in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

downlinkLossPercent (p. 7)

Proportion of received packets that fail to arrive from 0 to 100 percent.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

name (p. 7)

The name you wish to specify for the new network profile.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

projectArn (p. 7)

The Amazon Resource Name (ARN) of the project for which you want to create a network profile.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

type (p. 7)

The type of network profile you wish to create. Valid values are listed below.

Type: String

Valid Values: `CURATED` | `PRIVATE`

Required: No

uplinkBandwidthBits (p. 7)

The data throughput rate in bits per second, as an integer from 0 to 104857600.

Type: Long

Required: No

uplinkDelayMs (p. 7)

Delay time for all packets to destination in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

uplinkJitterMs (p. 7)

Time variation in the delay of received packets in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

uplinkLossPercent (p. 7)

Proportion of transmitted packets that fail to arrive from 0 to 100 percent.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

Response Syntax

```
{
  "networkProfile": {
    "arn": "string",
    "description": "string",
    "downlinkBandwidthBits": number,
    "downlinkDelayMs": number,
    "downlinkJitterMs": number,
    "downlinkLossPercent": number,
    "name": "string",
    "type": "string",
    "uplinkBandwidthBits": number,
    "uplinkDelayMs": number,
    "uplinkJitterMs": number,
    "uplinkLossPercent": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[networkProfile \(p. 9\)](#)

The network profile that is returned by the create network profile request.

Type: [NetworkProfile \(p. 168\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

CreateProject

Creates a new project.

Request Syntax

```
{  
  "defaultJobTimeoutMinutes": number,  
  "name": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

defaultJobTimeoutMinutes (p. 11)

Sets the execution timeout value (in minutes) for a project. All test runs in this project will use the specified execution timeout value unless overridden when scheduling a run.

Type: Integer

Required: No

name (p. 11)

The project's name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

Response Syntax

```
{  
  "project": {  
    "arn": "string",  
    "created": number,  
    "defaultJobTimeoutMinutes": number,  
    "name": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[project \(p. 11\)](#)

The newly created project.

Type: [Project \(p. 178\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

CreateRemoteAccessSession

Specifies and starts a remote access session.

Request Syntax

```
{
  "configuration": {
    "billingMethod": "string"
  },
  "deviceArn": "string",
  "name": "string",
  "projectArn": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

configuration (p. 13)

The configuration information for the remote access session request.

Type: [CreateRemoteAccessSessionConfiguration \(p. 153\)](#) object

Required: No

deviceArn (p. 13)

The Amazon Resource Name (ARN) of the device for which you want to create a remote access session.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

name (p. 13)

The name of the remote access session that you wish to create.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

projectArn (p. 13)

The Amazon Resource Name (ARN) of the project for which you want to create a remote access session.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{
  "remoteAccessSession": {
    "arn": "string",
    "billingMethod": "string",
    "created": number,
    "device": {
      "arn": "string",
      "carrier": "string",
      "cpu": {
        "architecture": "string",
        "clock": number,
        "frequency": "string"
      },
      "fleetName": "string",
      "fleetType": "string",
      "formFactor": "string",
      "heapSize": number,
      "image": "string",
      "manufacturer": "string",
      "memory": number,
      "model": "string",
      "name": "string",
      "os": "string",
      "platform": "string",
      "radio": "string",
      "remoteAccessEnabled": boolean,
      "resolution": {
        "height": number,
        "width": number
      }
    },
    "deviceMinutes": {
      "metered": number,
      "total": number,
      "unmetered": number
    },
    "endpoint": "string",
    "message": "string",
    "name": "string",
    "result": "string",
    "started": number,
    "status": "string",
    "stopped": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[remoteAccessSession \(p. 14\)](#)

A container that describes the remote access session when the request to create a remote access session is sent.

Type: [RemoteAccessSession \(p. 181\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

CreateUpload

Uploads an app or test scripts.

Request Syntax

```
{  
  "contentType": "string",  
  "name": "string",  
  "projectArn": "string",  
  "type": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

contentType (p. 16)

The upload's content type (for example, "application/octet-stream").

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

name (p. 16)

The upload's file name. The name should not contain the '/' character. If uploading an iOS app, the file name needs to end with the `.ipa` extension. If uploading an Android app, the file name needs to end with the `.apk` extension. For all others, the file name must end with the `.zip` file extension.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

projectArn (p. 16)

The ARN of the project for the upload.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

type (p. 16)

The upload's upload type.

Must be one of the following values:

- ANDROID_APP: An Android upload.
- IOS_APP: An iOS upload.

- `WEB_APP`: A web application upload.
- `EXTERNAL_DATA`: An external data upload.
- `APPIUM_JAVA_JUNIT_TEST_PACKAGE`: An Appium Java JUnit test package upload.
- `APPIUM_JAVA_TESTNG_TEST_PACKAGE`: An Appium Java TestNG test package upload.
- `APPIUM_PYTHON_TEST_PACKAGE`: An Appium Python test package upload.
- `APPIUM_WEB_JAVA_JUNIT_TEST_PACKAGE`: An Appium Java JUnit test package upload.
- `APPIUM_WEB_JAVA_TESTNG_TEST_PACKAGE`: An Appium Java TestNG test package upload.
- `APPIUM_WEB_PYTHON_TEST_PACKAGE`: An Appium Python test package upload.
- `CALABASH_TEST_PACKAGE`: A Calabash test package upload.
- `INSTRUMENTATION_TEST_PACKAGE`: An instrumentation upload.
- `UIAUTOMATION_TEST_PACKAGE`: A uiautomation test package upload.
- `UIAUTOMATOR_TEST_PACKAGE`: A uiautomator test package upload.
- `XCTEST_TEST_PACKAGE`: An XCode test package upload.
- `XCTEST_UI_TEST_PACKAGE`: An XCode UI test package upload.

Note If you call `CreateUpload` with `WEB_APP` specified, AWS Device Farm throws an `ArgumentException` error.

Type: String

Valid Values: `ANDROID_APP` | `IOS_APP` | `WEB_APP` | `EXTERNAL_DATA` | `APPIUM_JAVA_JUNIT_TEST_PACKAGE` | `APPIUM_JAVA_TESTNG_TEST_PACKAGE` | `APPIUM_PYTHON_TEST_PACKAGE` | `APPIUM_WEB_JAVA_JUNIT_TEST_PACKAGE` | `APPIUM_WEB_JAVA_TESTNG_TEST_PACKAGE` | `APPIUM_WEB_PYTHON_TEST_PACKAGE` | `CALABASH_TEST_PACKAGE` | `INSTRUMENTATION_TEST_PACKAGE` | `UIAUTOMATION_TEST_PACKAGE` | `UIAUTOMATOR_TEST_PACKAGE` | `XCTEST_TEST_PACKAGE` | `XCTEST_UI_TEST_PACKAGE`

Required: Yes

Response Syntax

```
{
  "upload": {
    "arn": "string",
    "contentType": "string",
    "created": number,
    "message": "string",
    "metadata": "string",
    "name": "string",
    "status": "string",
    "type": "string",
    "url": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[upload \(p. 17\)](#)

The newly created upload.

Type: [Upload \(p. 206\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DeleteDevicePool

Deletes a device pool given the pool ARN. Does not allow deletion of curated pools owned by the system.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 19)

Represents the Amazon Resource Name (ARN) of the Device Farm device pool you wish to delete.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DeleteNetworkProfile

Deletes a network profile.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 21)

The Amazon Resource Name (ARN) of the network profile you want to delete.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DeleteProject

Deletes an AWS Device Farm project, given the project ARN.

Note Deleting this resource does not stop an in-progress run.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 23)

Represents the Amazon Resource Name (ARN) of the Device Farm project you wish to delete.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DeleteRemoteAccessSession

Deletes a completed remote access session and its results.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 25)

The Amazon Resource Name (ARN) of the session for which you want to delete remote access.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DeleteRun

Deletes the run, given the run ARN.

Note Deleting this resource does not stop an in-progress run.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 27)

The Amazon Resource Name (ARN) for the run you wish to delete.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DeleteUpload

Deletes an upload given the upload ARN.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 29)

Represents the Amazon Resource Name (ARN) of the Device Farm upload you wish to delete.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetAccountSettings

Returns the number of unmetered iOS and/or unmetered Android devices that have been purchased by the account.

Response Syntax

```
{
  "accountSettings": {
    "awsAccountNumber": "string",
    "defaultJobTimeoutMinutes": number,
    "maxJobTimeoutMinutes": number,
    "maxSlots": {
      "string" : number
    },
    "trialMinutes": {
      "remaining": number,
      "total": number
    },
    "unmeteredDevices": {
      "string" : number
    },
    "unmeteredRemoteAccessDevices": {
      "string" : number
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

accountSettings (p. 31)

The account settings.

Type: [AccountSettings \(p. 146\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetDevice

Gets information about a unique device type.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 33)

The device type's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "device": {  
    "arn": "string",  
    "carrier": "string",  
    "cpu": {  
      "architecture": "string",  
      "clock": number,  
      "frequency": "string"  
    },  
    "fleetName": "string",  
    "fleetType": "string",  
    "formFactor": "string",  
    "heapSize": number,  
    "image": "string",  
    "manufacturer": "string",  
    "memory": number,  
    "model": "string",  
    "name": "string",  
    "os": "string",  
    "platform": "string",  
    "radio": "string",  
    "remoteAccessEnabled": boolean,  
    "resolution": {  
      "height": number,  
      "width": number  
    }  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

device (p. 33)

An object containing information about the requested device.

Type: [Device](#) (p. 154) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetDevicePool

Gets information about a device pool.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 35)

The device pool's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "devicePool": {  
    "arn": "string",  
    "description": "string",  
    "name": "string",  
    "rules": [  
      {  
        "attribute": "string",  
        "operator": "string",  
        "value": "string"  
      }  
    ],  
    "type": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

devicePool (p. 35)

An object containing information about the requested device pool.

Type: [DevicePool](#) (p. 158) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetDevicePoolCompatibility

Gets information about compatibility with a device pool.

Request Syntax

```
{
  "appArn": "string",
  "devicePoolArn": "string",
  "test": {
    "filter": "string",
    "parameters": {
      "string": "string"
    },
    "testPackageArn": "string",
    "type": "string"
  },
  "testType": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

appArn (p. 37)

The ARN of the app that is associated with the specified device pool.

Type: String

Length Constraints: Minimum length of 32.

Required: No

devicePoolArn (p. 37)

The device pool's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

test (p. 37)

Information about the uploaded test to be run against the device pool.

Type: [ScheduleRunTest \(p. 195\)](#) object

Required: No

testType (p. 37)

The test type for the specified device pool.

Allowed values include the following:

- BUILTIN_FUZZ: The built-in fuzz type.
- BUILTIN_EXPLORER: For Android, an app explorer that will traverse an Android app, interacting with it and capturing screenshots at the same time.
- APPIUM_JAVA_JUNIT: The Appium Java JUnit type.
- APPIUM_JAVA_TESTNG: The Appium Java TestNG type.
- APPIUM_PYTHON: The Appium Python type.
- APPIUM_WEB_JAVA_JUNIT: The Appium Java JUnit type for Web apps.
- APPIUM_WEB_JAVA_TESTNG: The Appium Java TestNG type for Web apps.
- APPIUM_WEB_PYTHON: The Appium Python type for Web apps.
- CALABASH: The Calabash type.
- INSTRUMENTATION: The Instrumentation type.
- UIAUTOMATION: The uiautomation type.
- UIAUTOMATOR: The uiautomator type.
- XCTEST: The XCode test type.
- XCTEST_UI: The XCode UI test type.

Type: String

Valid Values: BUILTIN_FUZZ | BUILTIN_EXPLORER | APPIUM_JAVA_JUNIT | APPIUM_JAVA_TESTNG | APPIUM_PYTHON | APPIUM_WEB_JAVA_JUNIT | APPIUM_WEB_JAVA_TESTNG | APPIUM_WEB_PYTHON | CALABASH | INSTRUMENTATION | UIAUTOMATION | UIAUTOMATOR | XCTEST | XCTEST_UI

Required: No

Response Syntax

```
{
  "compatibleDevices": [
    {
      "compatible": boolean,
      "device": {
        "arn": "string",
        "carrier": "string",
        "cpu": {
          "architecture": "string",
          "clock": number,
          "frequency": "string"
        },
        "fleetName": "string",
        "fleetType": "string",
        "formFactor": "string",
        "heapSize": number,
        "image": "string",
        "manufacturer": "string",
        "memory": number,
        "model": "string",
        "name": "string",
        "os": "string",
        "platform": "string",
        "radio": "string",
        "remoteAccessEnabled": boolean,
        "resolution": {
          "height": number,
          "width": number
        }
      }
    },
  ],
}
```



```
    "incompatibilityMessages": [
      {
        "message": "string",
        "type": "string"
      }
    ]
  },
],
"incompatibleDevices": [
  {
    "compatible": boolean,
    "device": {
      "arn": "string",
      "carrier": "string",
      "cpu": {
        "architecture": "string",
        "clock": number,
        "frequency": "string"
      },
      "fleetName": "string",
      "fleetType": "string",
      "formFactor": "string",
      "heapSize": number,
      "image": "string",
      "manufacturer": "string",
      "memory": number,
      "model": "string",
      "name": "string",
      "os": "string",
      "platform": "string",
      "radio": "string",
      "remoteAccessEnabled": boolean,
      "resolution": {
        "height": number,
        "width": number
      }
    },
    "incompatibilityMessages": [
      {
        "message": "string",
        "type": "string"
      }
    ]
  }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

compatibleDevices (p. 38)

Information about compatible devices.

Type: Array of [DevicePoolCompatibilityResult \(p. 160\)](#) objects

incompatibleDevices (p. 38)

Information about incompatible devices.

Type: Array of [DevicePoolCompatibilityResult \(p. 160\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetJob

Gets information about a job.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 41)

The job's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "job": {  
    "arn": "string",  
    "counters": {  
      "errored": number,  
      "failed": number,  
      "passed": number,  
      "skipped": number,  
      "stopped": number,  
      "total": number,  
      "warned": number  
    },  
    "created": number,  
    "device": {  
      "arn": "string",  
      "carrier": "string",  
      "cpu": {  
        "architecture": "string",  
        "clock": number,  
        "frequency": "string"  
      },  
      "fleetName": "string",  
      "fleetType": "string",  
      "formFactor": "string",  
      "heapSize": number,  
      "image": "string",  
      "manufacturer": "string",  
      "memory": number,  
    },  
  },  
}
```

```
    "model": "string",
    "name": "string",
    "os": "string",
    "platform": "string",
    "radio": "string",
    "remoteAccessEnabled": boolean,
    "resolution": {
      "height": number,
      "width": number
    }
  },
  "deviceMinutes": {
    "metered": number,
    "total": number,
    "unmetered": number
  },
  "message": "string",
  "name": "string",
  "result": "string",
  "started": number,
  "status": "string",
  "stopped": number,
  "type": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[job \(p. 41\)](#)

An object containing information about the requested job.

Type: [Job \(p. 163\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetNetworkProfile

Returns information about a network profile.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

[arn \(p. 44\)](#)

The Amazon Resource Name (ARN) of the network profile you want to return information about.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "networkProfile": {  
    "arn": "string",  
    "description": "string",  
    "downlinkBandwidthBits": number,  
    "downlinkDelayMs": number,  
    "downlinkJitterMs": number,  
    "downlinkLossPercent": number,  
    "name": "string",  
    "type": "string",  
    "uplinkBandwidthBits": number,  
    "uplinkDelayMs": number,  
    "uplinkJitterMs": number,  
    "uplinkLossPercent": number  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[networkProfile \(p. 44\)](#)

The network profile.

Type: [NetworkProfile \(p. 168\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetOfferingStatus

Gets the current status and future status of all offerings purchased by an AWS account. The response indicates how many offerings are currently available and the offerings that will be available in the next period. The API returns a `NotEligible` error if the user is not permitted to invoke the operation. Please contact aws-devicefarm-support@amazon.com if you believe that you should be able to invoke this operation.

Request Syntax

```
{  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

nextToken (p. 46)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "current": {  
    "string": {  
      "effectiveOn": number,  
      "offering": {  
        "description": "string",  
        "id": "string",  
        "platform": "string",  
        "recurringCharges": [  
          {  
            "cost": {  
              "amount": number,  
              "currencyCode": "string"  
            },  
            "frequency": "string"  
          }  
        ],  
        "type": "string"  
      },  
      "quantity": number,  
      "type": "string"  
    }  
  }  
}
```



```
},
"nextPeriod": {
  "string": {
    "effectiveOn": number,
    "offering": {
      "description": "string",
      "id": "string",
      "platform": "string",
      "recurringCharges": [
        {
          "cost": {
            "amount": number,
            "currencyCode": "string"
          },
          "frequency": "string"
        }
      ],
      "type": "string"
    },
    "quantity": number,
    "type": "string"
  }
},
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

current (p. 46)

When specified, gets the offering status for the current period.

Type: String to [OfferingStatus \(p. 173\)](#) object map

nextPeriod (p. 46)

When specified, gets the offering status for the next period.

Type: String to [OfferingStatus \(p. 173\)](#) object map

nextToken (p. 46)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotEligibleException

Exception gets thrown when a user is not eligible to perform the specified transaction.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

Example

The following example checks the current and renewal status.

Sample Response

```
{
  "current": {
    "offering-id-ios": {
      "offering": {
        "platform": "IOS",
        "type": "RECURRING",
        "id": "offering-id-ios",
        "description": "iOS Unmetered Device Slot"
      },
      "quantity": 1
    }
  },
  "nextPeriod": {
    "offering-id-ios": {
      "effectiveOn": 1459468800.0,
      "offering": {
        "platform": "IOS",
        "type": "RECURRING",
        "id": "offering-id-ios",
        "description": "iOS Unmetered Device Slot"
      },
      "quantity": 1
    }
  }
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetProject

Gets information about a project.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 50)

The project's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "project": {  
    "arn": "string",  
    "created": number,  
    "defaultJobTimeoutMinutes": number,  
    "name": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

project (p. 50)

The project you wish to get information about.

Type: [Project](#) (p. 178) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetRemoteAccessSession

Returns a link to a currently running remote access session.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 52)

The Amazon Resource Name (ARN) of the remote access session about which you want to get session information.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "remoteAccessSession": {  
    "arn": "string",  
    "billingMethod": "string",  
    "created": number,  
    "device": {  
      "arn": "string",  
      "carrier": "string",  
      "cpu": {  
        "architecture": "string",  
        "clock": number,  
        "frequency": "string"  
      },  
      "fleetName": "string",  
      "fleetType": "string",  
      "formFactor": "string",  
      "heapSize": number,  
      "image": "string",  
      "manufacturer": "string",  
      "memory": number,  
      "model": "string",  
      "name": "string",  
      "os": "string",  
      "platform": "string",  
      "radio": "string",  
      "remoteAccessEnabled": boolean,  
      "resolution": {  
        "height": number,  
        "width": number,  
        "x": number,  
        "y": number  
      }  
    }  
  }  
}
```

```
        "width": number
      }
    },
    "deviceMinutes": {
      "metered": number,
      "total": number,
      "unmetered": number
    },
    "endpoint": "string",
    "message": "string",
    "name": "string",
    "result": "string",
    "started": number,
    "status": "string",
    "stopped": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

remoteAccessSession (p. 52)

A container that lists detailed information about the remote access session.

Type: [RemoteAccessSession](#) (p. 181) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetRun

Gets information about a run.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 55)

The run's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "run": {  
    "arn": "string",  
    "billingMethod": "string",  
    "completedJobs": number,  
    "counters": {  
      "errored": number,  
      "failed": number,  
      "passed": number,  
      "skipped": number,  
      "stopped": number,  
      "total": number,  
      "warned": number  
    },  
    "created": number,  
    "deviceMinutes": {  
      "metered": number,  
      "total": number,  
      "unmetered": number  
    },  
    "message": "string",  
    "name": "string",  
    "networkProfile": {  
      "arn": "string",  
      "description": "string",  
      "downlinkBandwidthBits": number,  
      "downlinkDelayMs": number,  
      "downlinkJitterMs": number,  
    }  
  }  
}
```

```
    "downlinkLossPercent": number,  
    "name": "string",  
    "type": "string",  
    "uplinkBandwidthBits": number,  
    "uplinkDelayMs": number,  
    "uplinkJitterMs": number,  
    "uplinkLossPercent": number  
  },  
  "platform": "string",  
  "result": "string",  
  "started": number,  
  "status": "string",  
  "stopped": number,  
  "totalJobs": number,  
  "type": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[run \(p. 55\)](#)

The run you wish to get results from.

Type: [Run \(p. 187\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetSuite

Gets information about a suite.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 58)

The suite's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "suite": {  
    "arn": "string",  
    "counters": {  
      "errored": number,  
      "failed": number,  
      "passed": number,  
      "skipped": number,  
      "stopped": number,  
      "total": number,  
      "warned": number  
    },  
    "created": number,  
    "deviceMinutes": {  
      "metered": number,  
      "total": number,  
      "unmetered": number  
    },  
    "message": "string",  
    "name": "string",  
    "result": "string",  
    "started": number,  
    "status": "string",  
    "stopped": number,  
    "type": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

suite (p. 58)

A collection of one or more tests.

Type: [Suite](#) (p. 198) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetTest

Gets information about a test.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 60)

The test's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "test": {  
    "arn": "string",  
    "counters": {  
      "errored": number,  
      "failed": number,  
      "passed": number,  
      "skipped": number,  
      "stopped": number,  
      "total": number,  
      "warned": number  
    },  
    "created": number,  
    "deviceMinutes": {  
      "metered": number,  
      "total": number,  
      "unmetered": number  
    },  
    "message": "string",  
    "name": "string",  
    "result": "string",  
    "started": number,  
    "status": "string",  
    "stopped": number,  
    "type": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[test \(p. 60\)](#)

A test condition that is evaluated.

Type: [Test \(p. 201\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetUpload

Gets information about an upload.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 62)

The upload's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "upload": {  
    "arn": "string",  
    "contentType": "string",  
    "created": number,  
    "message": "string",  
    "metadata": "string",  
    "name": "string",  
    "status": "string",  
    "type": "string",  
    "url": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

upload (p. 62)

An app or a set of one or more tests to upload or that have been uploaded.

Type: [Upload \(p. 206\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

InstallToRemoteAccessSession

Installs an application to the device in a remote access session. For Android applications, the file must be in .apk format. For iOS applications, the file must be in .ipa format.

Request Syntax

```
{  
  "appArn": "string",  
  "remoteAccessSessionArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

appArn (p. 64)

The Amazon Resource Name (ARN) of the app about which you are requesting information.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

remoteAccessSessionArn (p. 64)

The Amazon Resource Name (ARN) of the remote access session about which you are requesting information.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "appUpload": {  
    "arn": "string",  
    "contentType": "string",  
    "created": number,  
    "message": "string",  
    "metadata": "string",  
    "name": "string",  
    "status": "string",  
    "type": "string",  
    "url": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

appUpload (p. 64)

An app to upload or that has been uploaded.

Type: [Upload](#) (p. 206) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListArtifacts

Gets information about artifacts.

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string",  
  "type": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 66)

The Run, Job, Suite, or Test ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

nextToken (p. 66)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

type (p. 66)

The artifacts' type.

Allowed values include:

- FILE: The artifacts are files.
- LOG: The artifacts are logs.
- SCREENSHOT: The artifacts are screenshots.

Type: String

Valid Values: SCREENSHOT | FILE | LOG

Required: Yes

Response Syntax

```
{
```

```
"artifacts": [  
  {  
    "arn": "string",  
    "extension": "string",  
    "name": "string",  
    "type": "string",  
    "url": "string"  
  }  
],  
"nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

artifacts (p. 66)

Information about the artifacts.

Type: Array of [Artifact](#) (p. 148) objects

nextToken (p. 66)

If the number of items that are returned is significantly large, this is an identifier that is also returned, which can be used in a subsequent call to this operation to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListDevicePools

Gets information about device pools.

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string",  
  "type": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 69)

The project ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

nextToken (p. 69)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

type (p. 69)

The device pools' type.

Allowed values include:

- CURATED: A device pool that is created and managed by AWS Device Farm.
- PRIVATE: A device pool that is created and managed by the device pool developer.

Type: String

Valid Values: CURATED | PRIVATE

Required: No

Response Syntax

```
{
```

```
"devicePools": [  
  {  
    "arn": "string",  
    "description": "string",  
    "name": "string",  
    "rules": [  
      {  
        "attribute": "string",  
        "operator": "string",  
        "value": "string"  
      }  
    ],  
    "type": "string"  
  }  
],  
"nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

devicePools (p. 69)

Information about the device pools.

Type: Array of [DevicePool](#) (p. 158) objects

nextToken (p. 69)

If the number of items that are returned is significantly large, this is an identifier that is also returned, which can be used in a subsequent call to this operation to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListDevices

Gets information about unique device types.

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

[arn](#) (p. 72)

The Amazon Resource Name (ARN) of the project.

Type: String

Length Constraints: Minimum length of 32.

Required: No

[nextToken](#) (p. 72)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "devices": [  
    {  
      "arn": "string",  
      "carrier": "string",  
      "cpu": {  
        "architecture": "string",  
        "clock": number,  
        "frequency": "string"  
      },  
      "fleetName": "string",  
      "fleetType": "string",  
      "formFactor": "string",  
      "heapSize": number,  
      "image": "string",  
      "manufacturer": "string",  
    }  
  ]  
}
```

```
    "memory": number,  
    "model": "string",  
    "name": "string",  
    "os": "string",  
    "platform": "string",  
    "radio": "string",  
    "remoteAccessEnabled": boolean,  
    "resolution": {  
      "height": number,  
      "width": number  
    }  
  }  
],  
"nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

devices (p. 72)

Information about the devices.

Type: Array of [Device](#) (p. 154) objects

nextToken (p. 72)

If the number of items that are returned is significantly large, this is an identifier that is also returned, which can be used in a subsequent call to this operation to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListJobs

Gets information about jobs.

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 75)

The jobs' ARNs.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

nextToken (p. 75)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "jobs": [  
    {  
      "arn": "string",  
      "counters": {  
        "errored": number,  
        "failed": number,  
        "passed": number,  
        "skipped": number,  
        "stopped": number,  
        "total": number,  
        "warned": number  
      },  
      "created": number,  
      "device": {
```

```
    "arn": "string",
    "carrier": "string",
    "cpu": {
      "architecture": "string",
      "clock": number,
      "frequency": "string"
    },
    "fleetName": "string",
    "fleetType": "string",
    "formFactor": "string",
    "heapSize": number,
    "image": "string",
    "manufacturer": "string",
    "memory": number,
    "model": "string",
    "name": "string",
    "os": "string",
    "platform": "string",
    "radio": "string",
    "remoteAccessEnabled": boolean,
    "resolution": {
      "height": number,
      "width": number
    }
  },
  "deviceMinutes": {
    "metered": number,
    "total": number,
    "unmetered": number
  },
  "message": "string",
  "name": "string",
  "result": "string",
  "started": number,
  "status": "string",
  "stopped": number,
  "type": "string"
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[jobs \(p. 75\)](#)

Information about the jobs.

Type: Array of [Job \(p. 163\)](#) objects

[nextToken \(p. 75\)](#)

If the number of items that are returned is significantly large, this is an identifier that is also returned, which can be used in a subsequent call to this operation to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListNetworkProfiles

Returns the list of available network profiles.

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string",  
  "type": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 78)

The Amazon Resource Name (ARN) of the project for which you want to list network profiles.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

nextToken (p. 78)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

type (p. 78)

The type of network profile you wish to return information about. Valid values are listed below.

Type: String

Valid Values: CURATED | PRIVATE

Required: No

Response Syntax

```
{  
  "networkProfiles": [  
    {  
      "arn": "string",  
      "description": "string",  
      "downlinkBandwidthBits": number,  
    }  
  ]  
}
```



```
    "downlinkDelayMs": number,  
    "downlinkJitterMs": number,  
    "downlinkLossPercent": number,  
    "name": "string",  
    "type": "string",  
    "uplinkBandwidthBits": number,  
    "uplinkDelayMs": number,  
    "uplinkJitterMs": number,  
    "uplinkLossPercent": number  
  }  
],  
"nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

networkProfiles (p. 78)

A list of the available network profiles.

Type: Array of [NetworkProfile](#) (p. 168) objects

nextToken (p. 78)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListOfferingPromotions

Returns a list of offering promotions. Each offering promotion record contains the ID and description of the promotion. The API returns a `NotEligible` error if the caller is not permitted to invoke the operation. Contact aws-devicefarm-support@amazon.com if you believe that you should be able to invoke this operation.

Request Syntax

```
{  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

nextToken (p. 81)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "nextToken": "string",  
  "offeringPromotions": [  
    {  
      "description": "string",  
      "id": "string"  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 81)

An identifier to be used in the next call to this operation, to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

[offeringPromotions \(p. 81\)](#)

Information about the offering promotions.

Type: Array of [OfferingPromotion \(p. 172\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotEligibleException

Exception gets thrown when a user is not eligible to perform the specified transaction.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListOfferings

Returns a list of products or offerings that the user can manage through the API. Each offering record indicates the recurring price per unit and the frequency for that offering. The API returns a `NotEligible` error if the user is not permitted to invoke the operation. Please contact aws-devicefarm-support@amazon.com if you believe that you should be able to invoke this operation.

Request Syntax

```
{  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

nextToken (p. 83)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "nextToken": "string",  
  "offerings": [  
    {  
      "description": "string",  
      "id": "string",  
      "platform": "string",  
      "recurringCharges": [  
        {  
          "cost": {  
            "amount": number,  
            "currencyCode": "string"  
          },  
          "frequency": "string"  
        }  
      ],  
      "type": "string"  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 83)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

offerings (p. 83)

A value representing the list offering results.

Type: Array of [Offering](#) (p. 170) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotEligibleException

Exception gets thrown when a user is not eligible to perform the specified transaction.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

Example

The following example response shows a list of device offerings for the user's account.

Sample Response

```
{
  "offerings": [
    {
      "recurringCharges": [
        {
          "cost": {
            "amount": 250.0,
            "currencyCode": "USD"
          },
          "frequency": "MONTHLY"
        }
      ],
      "platform": "IOS",
      "type": "RECURRING",
      "id": "offering-id-ios",
      "description": "iOS Unmetered Device Slot"
    },
    {
      "recurringCharges": [
        {
          "cost": {
            "amount": 250.0,
            "currencyCode": "USD"
          },
          "frequency": "MONTHLY"
        }
      ],
      "platform": "ANDROID",
      "type": "RECURRING",
      "id": "offering-id-android",
      "description": "Android Unmetered Device Slot"
    }
  ]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListOfferingTransactions

Returns a list of all historical purchases, renewals, and system renewal transactions for an AWS account. The list is paginated and ordered by a descending timestamp (most recent transactions are first). The API returns a `NotEligible` error if the user is not permitted to invoke the operation. Please contact aws-devicefarm-support@amazon.com if you believe that you should be able to invoke this operation.

Request Syntax

```
{  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

nextToken (p. 86)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "nextToken": "string",  
  "offeringTransactions": [  
    {  
      "cost": {  
        "amount": number,  
        "currencyCode": "string"  
      },  
      "createdOn": number,  
      "offeringPromotionId": "string",  
      "offeringStatus": {  
        "effectiveOn": number,  
        "offering": {  
          "description": "string",  
          "id": "string",  
          "platform": "string",  
          "recurringCharges": [  
            {  
              "cost": {  
                "amount": number,  
                "currencyCode": "string"  
              },  
              "frequency": "string"  
            }  
          ]  
        }  
      }  
    }  
  ]  
}
```



```
    ],  
    "type": "string"  
  },  
  "quantity": number,  
  "type": "string"  
},  
"transactionId": "string"  
}  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 86)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

offeringTransactions (p. 86)

The audit log of subscriptions you have purchased and modified through AWS Device Farm.

Type: Array of [OfferingTransaction](#) (p. 174) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotEligibleException

Exception gets thrown when a user is not eligible to perform the specified transaction.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

Example

The following example response contains all the transactions that the customer has made.

Sample Response

```
{
  "offeringTransactions": [
    {
      "createdOn": 1458596241.001,
      "offeringStatus": {
        "effectiveOn": 1458596240.974,
        "type": "PURCHASE",
        "offering": {
          "platform": "IOS",
          "type": "RECURRING",
          "id": "offering-id-ios",
          "description": "iOS Unmetered Device Slot"
        },
        "quantity": 1
      },
      "cost": {
        "amount": 80.65,
        "currencyCode": "USD"
      },
      "transactionId": "transaction-id"
    },
    {
      "createdOn": 1458587590.308,
      "offeringStatus": {
        "effectiveOn": 1458587590.24,
        "type": "PURCHASE",
        "offering": {
          "platform": "IOS",
          "type": "RECURRING",
          "id": "offering-id-ios",
          "description": "iOS Unmetered Device Slot"
        },
        "quantity": 1
      },
      "cost": {
        "amount": 80.65,
        "currencyCode": "USD"
      },
      "transactionId": "transaction-id"
    },
    {
      "createdOn": 1458541943.395,
      "offeringStatus": {
        "effectiveOn": 1458541943.34,
        "type": "PURCHASE",
        "offering": {
          "platform": "ANDROID",
          "type": "RECURRING",
          "id": "offering-id-android",
          "description": "Android Unmetered Device Slot"
        },
        "quantity": 10
      },
      "cost": {
```

AWS Device Farm API Reference
Example

```
        "amount": 806.45,
        "currencyCode": "USD"
    },
    "transactionId": "transaction-id"
},
{
    "createdOn": 1458584276.849,
    "offeringStatus": {
        "effectiveOn": 1458584276.811,
        "type": "PURCHASE",
        "offering": {
            "platform": "ANDROID",
            "type": "RECURRING",
            "id": "offering-id-android",
            "description": "Android Unmetered Device Slot"
        },
        "quantity": 2
    },
    "cost": {
        "amount": 161.29,
        "currencyCode": "USD"
    },
    "transactionId": "transaction-id"
},
{
    "createdOn": 1458592981.171,
    "offeringStatus": {
        "effectiveOn": 1458592981.137,
        "type": "PURCHASE",
        "offering": {
            "platform": "IOS",
            "type": "RECURRING",
            "id": "offering-id-ios",
            "description": "iOS Unmetered Device Slot"
        },
        "quantity": 1
    },
    "cost": {
        "amount": 80.65,
        "currencyCode": "USD"
    },
    "transactionId": "transaction-id"
},
{
    "createdOn": 1458591927.511,
    "offeringStatus": {
        "effectiveOn": 1458591927.468,
        "type": "PURCHASE",
        "offering": {
            "platform": "IOS",
            "type": "RECURRING",
            "id": "offering-id-ios",
            "description": "iOS Unmetered Device Slot"
        },
        "quantity": 1
    },
    "cost": {
        "amount": 80.65,
        "currencyCode": "USD"
    },
    "transactionId": "transaction-id"
},
{
    "createdOn": 1458581880.117,
    "offeringStatus": {
        "effectiveOn": 1459468800.0,
```

AWS Device Farm API Reference
Example

```
    "type": "RENEW",
    "offering": {
      "platform": "IOS",
      "type": "RECURRING",
      "id": "offering-id-ios",
      "description": "iOS Unmetered Device Slot"
    },
    "quantity": 0
  },
  "cost": {
    "amount": 0.0,
    "currencyCode": "USD"
  },
  "transactionId": "transaction-id"
},
{
  "createdOn": 1458587390.031,
  "offeringStatus": {
    "effectiveOn": 1458587390.008,
    "type": "PURCHASE",
    "offering": {
      "platform": "ANDROID",
      "type": "RECURRING",
      "id": "offering-id-android",
      "description": "Android Unmetered Device Slot"
    },
    "quantity": 1
  },
  "cost": {
    "amount": 80.65,
    "currencyCode": "USD"
  },
  "transactionId": "transaction-id"
},
{
  "createdOn": 1458591927.99,
  "offeringStatus": {
    "effectiveOn": 1459468800.0,
    "type": "RENEW",
    "offering": {
      "platform": "ANDROID",
      "type": "RECURRING",
      "id": "offering-id-android",
      "description": "Android Unmetered Device Slot"
    },
    "quantity": 3
  },
  "cost": {
    "amount": 750.0,
    "currencyCode": "USD"
  },
  "transactionId": "transaction-id"
},
{
  "createdOn": 1458581580.426,
  "offeringStatus": {
    "effectiveOn": 1458581580.377,
    "type": "PURCHASE",
    "offering": {
      "platform": "ANDROID",
      "type": "RECURRING",
      "id": "offering-id-android",
      "description": "Android Unmetered Device Slot"
    },
    "quantity": 1
  },
}
```

AWS Device Farm API Reference
Example

```
    "cost": {
      "amount": 80.65,
      "currencyCode": "USD"
    },
    "transactionId": "transaction-id"
  },
  {
    "createdOn": 1458582235.794,
    "offeringStatus": {
      "effectiveOn": 1459468800.0,
      "type": "RENEW",
      "offering": {
        "platform": "ANDROID",
        "type": "RECURRING",
        "id": "offering-id-android",
        "description": "Android Unmetered Device Slot"
      },
      "quantity": 1
    },
    "cost": {
      "amount": 250.0,
      "currencyCode": "USD"
    },
    "transactionId": "transaction-id"
  },
  {
    "createdOn": 1458581580.429,
    "offeringStatus": {
      "effectiveOn": 1458581580.372,
      "type": "PURCHASE",
      "offering": {
        "platform": "IOS",
        "type": "RECURRING",
        "id": "offering-id-ios",
        "description": "iOS Unmetered Device Slot"
      },
      "quantity": 1
    },
    "cost": {
      "amount": 80.65,
      "currencyCode": "USD"
    },
    "transactionId": "transaction-id"
  },
  {
    "createdOn": 1458593014.881,
    "offeringStatus": {
      "effectiveOn": 1458593014.856,
      "type": "PURCHASE",
      "offering": {
        "platform": "IOS",
        "type": "RECURRING",
        "id": "offering-id-ios",
        "description": "iOS Unmetered Device Slot"
      },
      "quantity": 2
    },
    "cost": {
      "amount": 161.29,
      "currencyCode": "USD"
    },
    "transactionId": "transaction-id"
  },
  {
    "createdOn": 1458581880.415,
    "offeringStatus": {
```

AWS Device Farm API Reference
Example

```
    "effectiveOn": 1459468800.0,
    "type": "RENEW",
    "offering": {
      "platform": "ANDROID",
      "type": "RECURRING",
      "id": "offering-id-android",
      "description": "Android Unmetered Device Slot"
    },
    "quantity": 0
  },
  "cost": {
    "amount": 0.0,
    "currencyCode": "USD"
  },
  "transactionId": "transaction-id"
},
{
  "createdOn": 1458591927.662,
  "offeringStatus": {
    "effectiveOn": 1458591927.491,
    "type": "PURCHASE",
    "offering": {
      "platform": "ANDROID",
      "type": "RECURRING",
      "id": "offering-id-android",
      "description": "Android Unmetered Device Slot"
    },
    "quantity": 1
  },
  "cost": {
    "amount": 80.65,
    "currencyCode": "USD"
  },
  "transactionId": "transaction-id"
},
{
  "createdOn": 1458582235.834,
  "offeringStatus": {
    "effectiveOn": 1459468800.0,
    "type": "RENEW",
    "offering": {
      "platform": "IOS",
      "type": "RECURRING",
      "id": "offering-id-ios",
      "description": "iOS Unmetered Device Slot"
    },
    "quantity": 1
  },
  "cost": {
    "amount": 250.0,
    "currencyCode": "USD"
  },
  "transactionId": "transaction-id"
},
{
  "createdOn": 1458583642.184,
  "offeringStatus": {
    "effectiveOn": 1459468800.0,
    "type": "RENEW",
    "offering": {
      "platform": "IOS",
      "type": "RECURRING",
      "id": "offering-id-ios",
      "description": "iOS Unmetered Device Slot"
    },
    "quantity": 0
  },
```

```
    },
    "cost": {
      "amount": 0.0,
      "currencyCode": "USD"
    },
    "transactionId": "transaction-id"
  },
  {
    "createdOn": 1458581880.007,
    "offeringStatus": {
      "effectiveOn": 1458581879.937,
      "type": "PURCHASE",
      "offering": {
        "platform": "ANDROID",
        "type": "RECURRING",
        "id": "offering-id-android",
        "description": "Android Unmetered Device Slot"
      },
      "quantity": 1
    },
    "cost": {
      "amount": 80.65,
      "currencyCode": "USD"
    },
    "transactionId": "transaction-id"
  }
]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListProjects

Gets information about projects.

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

[arn \(p. 94\)](#)

Optional. If no Amazon Resource Name (ARN) is specified, then AWS Device Farm returns a list of all projects for the AWS account. You can also specify a project ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

[nextToken \(p. 94\)](#)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "nextToken": "string",  
  "projects": [  
    {  
      "arn": "string",  
      "created": number,  
      "defaultJobTimeoutMinutes": number,  
      "name": "string"  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 94)

If the number of items that are returned is significantly large, this is an identifier that is also returned, which can be used in a subsequent call to this operation to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

projects (p. 94)

Information about the projects.

Type: Array of [Project \(p. 178\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V2](#)

ListRemoteAccessSessions

Returns a list of all currently running remote access sessions.

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 97)

The Amazon Resource Name (ARN) of the remote access session about which you are requesting information.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

nextToken (p. 97)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "nextToken": "string",  
  "remoteAccessSessions": [  
    {  
      "arn": "string",  
      "billingMethod": "string",  
      "created": number,  
      "device": {  
        "arn": "string",  
        "carrier": "string",  
        "cpu": {  
          "architecture": "string",  
          "clock": number,  
          "frequency": "string"  
        },  
        "fleetName": "string",  
      }  
    },  
  ]  
}
```

```
    "fleetType": "string",
    "formFactor": "string",
    "heapSize": number,
    "image": "string",
    "manufacturer": "string",
    "memory": number,
    "model": "string",
    "name": "string",
    "os": "string",
    "platform": "string",
    "radio": "string",
    "remoteAccessEnabled": boolean,
    "resolution": {
      "height": number,
      "width": number
    }
  },
  "deviceMinutes": {
    "metered": number,
    "total": number,
    "unmetered": number
  },
  "endpoint": "string",
  "message": "string",
  "name": "string",
  "result": "string",
  "started": number,
  "status": "string",
  "stopped": number
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken \(p. 97\)](#)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

[remoteAccessSessions \(p. 97\)](#)

A container representing the metadata from the service about each remote access session you are requesting.

Type: Array of [RemoteAccessSession \(p. 181\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListRuns

Gets information about runs, given an AWS Device Farm project ARN.

Request Syntax

```
{
  "arn": "string",
  "nextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 100)

The Amazon Resource Name (ARN) of the project for which you want to list runs.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

nextToken (p. 100)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{
  "nextToken": "string",
  "runs": [
    {
      "arn": "string",
      "billingMethod": "string",
      "completedJobs": number,
      "counters": {
        "errored": number,
        "failed": number,
        "passed": number,
        "skipped": number,
        "stopped": number,
        "total": number,
        "warned": number
      },
      "created": number,
    }
  ]
}
```

```
    "deviceMinutes": {
      "metered": number,
      "total": number,
      "unmetered": number
    },
    "message": "string",
    "name": "string",
    "networkProfile": {
      "arn": "string",
      "description": "string",
      "downlinkBandwidthBits": number,
      "downlinkDelayMs": number,
      "downlinkJitterMs": number,
      "downlinkLossPercent": number,
      "name": "string",
      "type": "string",
      "uplinkBandwidthBits": number,
      "uplinkDelayMs": number,
      "uplinkJitterMs": number,
      "uplinkLossPercent": number
    },
    "platform": "string",
    "result": "string",
    "started": number,
    "status": "string",
    "stopped": number,
    "totalJobs": number,
    "type": "string"
  }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken \(p. 100\)](#)

If the number of items that are returned is significantly large, this is an identifier that is also returned, which can be used in a subsequent call to this operation to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

[runs \(p. 100\)](#)

Information about the runs.

Type: Array of [Run \(p. 187\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListSamples

Gets information about samples, given an AWS Device Farm project ARN

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 103)

The Amazon Resource Name (ARN) of the project for which you want to list samples.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

nextToken (p. 103)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "nextToken": "string",  
  "samples": [  
    {  
      "arn": "string",  
      "type": "string",  
      "url": "string"  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 103)

If the number of items that are returned is significantly large, this is an identifier that is also returned, which can be used in a subsequent call to this operation to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

samples (p. 103)

Information about the samples.

Type: Array of [Sample](#) (p. 191) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V2](#)

ListSuites

Gets information about suites.

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 106)

The suites' ARNs.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

nextToken (p. 106)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "nextToken": "string",  
  "suites": [  
    {  
      "arn": "string",  
      "counters": {  
        "errored": number,  
        "failed": number,  
        "passed": number,  
        "skipped": number,  
        "stopped": number,  
        "total": number,  
        "warned": number  
      },  
      "created": number,  
      "deviceMinutes": {
```

```
        "metered": number,  
        "total": number,  
        "unmetered": number  
    },  
    "message": "string",  
    "name": "string",  
    "result": "string",  
    "started": number,  
    "status": "string",  
    "stopped": number,  
    "type": "string"  
  }  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 106)

If the number of items that are returned is significantly large, this is an identifier that is also returned, which can be used in a subsequent call to this operation to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

suites (p. 106)

Information about the suites.

Type: Array of [Suite](#) (p. 198) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListTests

Gets information about tests.

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 109)

The tests' ARNs.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

nextToken (p. 109)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "nextToken": "string",  
  "tests": [  
    {  
      "arn": "string",  
      "counters": {  
        "errored": number,  
        "failed": number,  
        "passed": number,  
        "skipped": number,  
        "stopped": number,  
        "total": number,  
        "warned": number  
      },  
      "created": number,  
      "deviceMinutes": {
```

```
        "metered": number,  
        "total": number,  
        "unmetered": number  
    },  
    "message": "string",  
    "name": "string",  
    "result": "string",  
    "started": number,  
    "status": "string",  
    "stopped": number,  
    "type": "string"  
  }  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 109)

If the number of items that are returned is significantly large, this is an identifier that is also returned, which can be used in a subsequent call to this operation to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

tests (p. 109)

Information about the tests.

Type: Array of [Test](#) (p. 201) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListUniqueProblems

Gets information about unique problems.

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 112)

The unique problems' ARNs.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

nextToken (p. 112)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "nextToken": "string",  
  "uniqueProblems": {  
    "string": [  
      {  
        "message": "string",  
        "problems": [  
          {  
            "device": {  
              "arn": "string",  
              "carrier": "string",  
              "cpu": {  
                "architecture": "string",  
                "clock": number,  
                "frequency": "string"  
              }  
            }  
          }  
        ]  
      }  
    ]  
  }  
}
```

```
    "fleetName": "string",
    "fleetType": "string",
    "formFactor": "string",
    "heapSize": number,
    "image": "string",
    "manufacturer": "string",
    "memory": number,
    "model": "string",
    "name": "string",
    "os": "string",
    "platform": "string",
    "radio": "string",
    "remoteAccessEnabled": boolean,
    "resolution": {
      "height": number,
      "width": number
    }
  },
  "job": {
    "arn": "string",
    "name": "string"
  },
  "message": "string",
  "result": "string",
  "run": {
    "arn": "string",
    "name": "string"
  },
  "suite": {
    "arn": "string",
    "name": "string"
  },
  "test": {
    "arn": "string",
    "name": "string"
  }
}
]
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 112)

If the number of items that are returned is significantly large, this is an identifier that is also returned, which can be used in a subsequent call to this operation to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

uniqueProblems (p. 112)

Information about the unique problems.

Allowed values include:

- PENDING: A pending condition.
- PASSED: A passing condition.
- WARNED: A warning condition.
- FAILED: A failed condition.
- SKIPPED: A skipped condition.
- ERRORED: An error condition.
- STOPPED: A stopped condition.

Type: String to array of [UniqueProblem \(p. 205\)](#) objects map

Valid Map Keys: PENDING | PASSED | WARNED | FAILED | SKIPPED | ERRORED | STOPPED

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListUploads

Gets information about uploads, given an AWS Device Farm project ARN.

Request Syntax

```
{  
  "arn": "string",  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 115)

The Amazon Resource Name (ARN) of the project for which you want to list uploads.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

nextToken (p. 115)

An identifier that was returned from the previous call to this operation, which can be used to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Required: No

Response Syntax

```
{  
  "nextToken": "string",  
  "uploads": [  
    {  
      "arn": "string",  
      "contentType": "string",  
      "created": number,  
      "message": "string",  
      "metadata": "string",  
      "name": "string",  
      "status": "string",  
      "type": "string",  
      "url": "string"  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 115)

If the number of items that are returned is significantly large, this is an identifier that is also returned, which can be used in a subsequent call to this operation to return the next set of items in the list.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

uploads (p. 115)

Information about the uploads.

Type: Array of [Upload](#) (p. 206) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 211).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)

- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

PurchaseOffering

Immediately purchases offerings for an AWS account. Offerings renew with the latest total purchased quantity for an offering, unless the renewal was overridden. The API returns a `NotEligible` error if the user is not permitted to invoke the operation. Please contact aws-devicefarm-support@amazon.com if you believe that you should be able to invoke this operation.

Request Syntax

```
{  
  "offeringId": "string",  
  "offeringPromotionId": "string",  
  "quantity": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

offeringId (p. 118)

The ID of the offering.

Type: String

Length Constraints: Minimum length of 32.

Required: No

offeringPromotionId (p. 118)

The ID of the offering promotion to be applied to the purchase.

Type: String

Length Constraints: Minimum length of 4.

Required: No

quantity (p. 118)

The number of device slots you wish to purchase in an offering request.

Type: Integer

Required: No

Response Syntax

```
{  
  "offeringTransaction": {  
    "cost": {  
      "amount": number,  

```



```
    "currencyCode": "string"
  },
  "createdOn": number,
  "offeringPromotionId": "string",
  "offeringStatus": {
    "effectiveOn": number,
    "offering": {
      "description": "string",
      "id": "string",
      "platform": "string",
      "recurringCharges": [
        {
          "cost": {
            "amount": number,
            "currencyCode": "string"
          },
          "frequency": "string"
        }
      ],
      "type": "string"
    },
    "quantity": number,
    "type": "string"
  },
  "transactionId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[offeringTransaction \(p. 118\)](#)

Represents the offering transaction for the purchase result.

Type: [OfferingTransaction \(p. 174\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotEligibleException

Exception gets thrown when a user is not eligible to perform the specified transaction.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

Example

The following example purchases one unmetered iOS device.

Sample Request

```
{
  "transactions": [
    "purchase": {
      "offeringId": "offering-id-ios",
      "quantity": 1
    }
  ]
}
```

Sample Response

```
{
  "offeringTransaction": {
    "createdOn": 1458587590.308,
    "offeringStatus": {
      "effectiveOn": 1458587590.24,
      "type": "RECURRING",
      "offering": {
        "platform": "IOS",
        "type": "RECURRING",
        "id": "offering-id-ios",
        "description": "iOS Unmetered Device Slot"
      }
    },
    "quantity": 1
  },
  "cost": {
    "amount": 80.65,
    "currencyCode": "USD"
  },
  "transactionId": "transaction-id"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

RenewOffering

Explicitly sets the quantity of devices to renew for an offering, starting from the `effectiveDate` of the next period. The API returns a `NotEligible` error if the user is not permitted to invoke the operation. Please contact aws-devicefarm-support@amazon.com if you believe that you should be able to invoke this operation.

Request Syntax

```
{
  "offeringId": "string",
  "quantity": number
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

offeringId (p. 122)

The ID of a request to renew an offering.

Type: String

Length Constraints: Minimum length of 32.

Required: No

quantity (p. 122)

The quantity requested in an offering renewal.

Type: Integer

Required: No

Response Syntax

```
{
  "offeringTransaction": {
    "cost": {
      "amount": number,
      "currencyCode": "string"
    },
    "createdOn": number,
    "offeringPromotionId": "string",
    "offeringStatus": {
      "effectiveOn": number,
      "offering": {
        "description": "string",
        "id": "string",
        "platform": "string",
        "recurringCharges": [
```

```
    {
      "cost": {
        "amount": number,
        "currencyCode": "string"
      },
      "frequency": "string"
    }
  ],
  "type": "string"
},
"quantity": number,
"type": "string"
},
"transactionId": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

offeringTransaction (p. 122)

Represents the status of the offering transaction for the renewal.

Type: [OfferingTransaction \(p. 174\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotEligibleException

Exception gets thrown when a user is not eligible to perform the specified transaction.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

Example

The following example renews the offering for one unmetered iOS device.

Sample Request

```
{
  "transactions": [
    "renew": {
      "offeringId": "offering-id-ios",
      "quantity": 1,
    }
  ]
}
```

Sample Response

```
{
  "offeringTransaction": {
    "createdOn": 1458596930.431,
    "offeringStatus": {
      "effectiveOn": 1459468800.0,
      "type": "RECURRING",
      "offering": {
        "platform": "IOS",
        "type": "RECURRING",
        "id": "offering-id-ios",
        "description": "iOS Unmetered Device Slot"
      },
      "quantity": 1
    },
    "cost": {
      "amount": 250.0,
      "currencyCode": "USD"
    },
    "transactionId": "transaction-id"
  }
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ScheduleRun

Schedules a run.

Request Syntax

```
{
  "appArn": "string",
  "configuration": {
    "auxiliaryApps": [ "string" ],
    "billingMethod": "string",
    "extraDataPackageArn": "string",
    "locale": "string",
    "location": {
      "latitude": number,
      "longitude": number
    },
    "networkProfileArn": "string",
    "radios": {
      "bluetooth": boolean,
      "gps": boolean,
      "nfc": boolean,
      "wifi": boolean
    }
  },
  "devicePoolArn": "string",
  "executionConfiguration": {
    "accountsCleanup": boolean,
    "appPackagesCleanup": boolean,
    "jobTimeoutMinutes": number
  },
  "name": "string",
  "projectArn": "string",
  "test": {
    "filter": "string",
    "parameters": {
      "string" : "string"
    },
    "testPackageArn": "string",
    "type": "string"
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

appArn (p. 125)

The ARN of the app to schedule a run.

Type: String

Length Constraints: Minimum length of 32.

Required: No

configuration (p. 125)

Information about the settings for the run to be scheduled.

Type: [ScheduleRunConfiguration \(p. 193\)](#) object

Required: No

devicePoolArn (p. 125)

The ARN of the device pool for the run to be scheduled.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

executionConfiguration (p. 125)

Specifies configuration information about a test run, such as the execution timeout (in minutes).

Type: [ExecutionConfiguration \(p. 161\)](#) object

Required: No

name (p. 125)

The name for the run to be scheduled.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

projectArn (p. 125)

The ARN of the project for the run to be scheduled.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

test (p. 125)

Information about the test for the run to be scheduled.

Type: [ScheduleRunTest \(p. 195\)](#) object

Required: Yes

Response Syntax

```
{
  "run": {
    "arn": "string",
    "billingMethod": "string",
    "completedJobs": number,
    "counters": {
```



```
    "errored": number,
    "failed": number,
    "passed": number,
    "skipped": number,
    "stopped": number,
    "total": number,
    "warned": number
  },
  "created": number,
  "deviceMinutes": {
    "metered": number,
    "total": number,
    "unmetered": number
  },
  "message": "string",
  "name": "string",
  "networkProfile": {
    "arn": "string",
    "description": "string",
    "downloadBandwidthBits": number,
    "downloadDelayMs": number,
    "downloadJitterMs": number,
    "downloadLossPercent": number,
    "name": "string",
    "type": "string",
    "uploadBandwidthBits": number,
    "uploadDelayMs": number,
    "uploadJitterMs": number,
    "uploadLossPercent": number
  },
  "platform": "string",
  "result": "string",
  "started": number,
  "status": "string",
  "stopped": number,
  "totalJobs": number,
  "type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[run \(p. 126\)](#)

Information about the scheduled run.

Type: [Run \(p. 187\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

IdempotencyException

An entity with the same name already exists.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

StopRemoteAccessSession

Ends a specified remote access session.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 129)

The Amazon Resource Name (ARN) of the remote access session you wish to stop.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "remoteAccessSession": {  
    "arn": "string",  
    "billingMethod": "string",  
    "created": number,  
    "device": {  
      "arn": "string",  
      "carrier": "string",  
      "cpu": {  
        "architecture": "string",  
        "clock": number,  
        "frequency": "string"  
      },  
      "fleetName": "string",  
      "fleetType": "string",  
      "formFactor": "string",  
      "heapSize": number,  
      "image": "string",  
      "manufacturer": "string",  
      "memory": number,  
      "model": "string",  
      "name": "string",  
      "os": "string",  
      "platform": "string",  
      "radio": "string",  
      "remoteAccessEnabled": boolean,  
      "resolution": {  
        "height": number,  
        "width": number  
      }  
    }  
  }  
}
```

```
    },  
    "deviceMinutes": {  
      "metered": number,  
      "total": number,  
      "unmetered": number  
    },  
    "endpoint": "string",  
    "message": "string",  
    "name": "string",  
    "result": "string",  
    "started": number,  
    "status": "string",  
    "stopped": number  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[remoteAccessSession \(p. 129\)](#)

A container representing the metadata from the service about the remote access session you are stopping.

Type: [RemoteAccessSession \(p. 181\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

StopRun

Initiates a stop request for the current test run. AWS Device Farm will immediately stop the run on devices where tests have not started executing, and you will not be billed for these devices. On devices where tests have started executing, Setup Suite and Teardown Suite tests will run to completion before stopping execution on those devices. You will be billed for Setup, Teardown, and any tests that were in progress or already completed.

Request Syntax

```
{  
  "arn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 132)

Represents the Amazon Resource Name (ARN) of the Device Farm run you wish to stop.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

Response Syntax

```
{  
  "run": {  
    "arn": "string",  
    "billingMethod": "string",  
    "completedJobs": number,  
    "counters": {  
      "errored": number,  
      "failed": number,  
      "passed": number,  
      "skipped": number,  
      "stopped": number,  
      "total": number,  
      "warned": number  
    },  
    "created": number,  
    "deviceMinutes": {  
      "metered": number,  
      "total": number,  
      "unmetered": number  
    },  
    "message": "string",  
    "name": "string",  
    "networkProfile": {
```

```
    "arn": "string",
    "description": "string",
    "downloadBandwidthBits": number,
    "downloadDelayMs": number,
    "downloadJitterMs": number,
    "downloadLossPercent": number,
    "name": "string",
    "type": "string",
    "uploadBandwidthBits": number,
    "uploadDelayMs": number,
    "uploadJitterMs": number,
    "uploadLossPercent": number
  },
  "platform": "string",
  "result": "string",
  "started": number,
  "status": "string",
  "stopped": number,
  "totalJobs": number,
  "type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[run \(p. 132\)](#)

The run that was stopped.

Type: [Run \(p. 187\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

UpdateDevicePool

Modifies the name, description, and rules in a device pool given the attributes and the pool ARN. Rule updates are all-or-nothing, meaning they can only be updated as a whole (or not at all).

Request Syntax

```
{
  "arn": "string",
  "description": "string",
  "name": "string",
  "rules": [
    {
      "attribute": "string",
      "operator": "string",
      "value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 135)

The Amazon Resource Name (ARN) of the Device Farm device pool you wish to update.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

description (p. 135)

A description of the device pool you wish to update.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

name (p. 135)

A string representing the name of the device pool you wish to update.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

rules (p. 135)

Represents the rules you wish to modify for the device pool. Updating rules is optional; however, if you choose to update rules for your request, the update will replace the existing rules.

Type: Array of [Rule \(p. 185\)](#) objects

Required: No

Response Syntax

```
{
  "devicePool": {
    "arn": "string",
    "description": "string",
    "name": "string",
    "rules": [
      {
        "attribute": "string",
        "operator": "string",
        "value": "string"
      }
    ],
    "type": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

devicePool (p. 136)

The device pool you just updated.

Type: [DevicePool \(p. 158\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

UpdateNetworkProfile

Updates the network profile with specific settings.

Request Syntax

```
{  
  "arn": "string",  
  "description": "string",  
  "downlinkBandwidthBits": number,  
  "downlinkDelayMs": number,  
  "downlinkJitterMs": number,  
  "downlinkLossPercent": number,  
  "name": "string",  
  "type": "string",  
  "uplinkBandwidthBits": number,  
  "uplinkDelayMs": number,  
  "uplinkJitterMs": number,  
  "uplinkLossPercent": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 209).

The request accepts the following data in JSON format.

arn (p. 138)

The Amazon Resource Name (ARN) of the project that you wish to update network profile settings.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

description (p. 138)

The description of the network profile about which you are returning information.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

downlinkBandwidthBits (p. 138)

The data throughput rate in bits per second, as an integer from 0 to 104857600.

Type: Long

Required: No

downlinkDelayMs (p. 138)

Delay time for all packets to destination in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

downlinkJitterMs (p. 138)

Time variation in the delay of received packets in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

downlinkLossPercent (p. 138)

Proportion of received packets that fail to arrive from 0 to 100 percent.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

name (p. 138)

The name of the network profile about which you are returning information.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

type (p. 138)

The type of network profile you wish to return information about. Valid values are listed below.

Type: String

Valid Values: `CURATED` | `PRIVATE`

Required: No

uplinkBandwidthBits (p. 138)

The data throughput rate in bits per second, as an integer from 0 to 104857600.

Type: Long

Required: No

uplinkDelayMs (p. 138)

Delay time for all packets to destination in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

uplinkJitterMs (p. 138)

Time variation in the delay of received packets in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

uplinkLossPercent (p. 138)

Proportion of transmitted packets that fail to arrive from 0 to 100 percent.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

Response Syntax

```
{
  "networkProfile": {
    "arn": "string",
    "description": "string",
    "downlinkBandwidthBits": number,
    "downlinkDelayMs": number,
    "downlinkJitterMs": number,
    "downlinkLossPercent": number,
    "name": "string",
    "type": "string",
    "uplinkBandwidthBits": number,
    "uplinkDelayMs": number,
    "uplinkJitterMs": number,
    "uplinkLossPercent": number
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[networkProfile \(p. 140\)](#)

A list of the available network profiles.

Type: [NetworkProfile \(p. 168\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

UpdateProject

Modifies the specified project name, given the project ARN and a new name.

Request Syntax

```
{
  "arn": "string",
  "defaultJobTimeoutMinutes": number,
  "name": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 209\)](#).

The request accepts the following data in JSON format.

arn (p. 142)

The Amazon Resource Name (ARN) of the project whose name you wish to update.

Type: String

Length Constraints: Minimum length of 32.

Required: Yes

defaultJobTimeoutMinutes (p. 142)

The number of minutes a test run in the project will execute before it times out.

Type: Integer

Required: No

name (p. 142)

A string representing the new name of the project that you are updating.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
{
  "project": {
    "arn": "string",
    "created": number,
    "defaultJobTimeoutMinutes": number,
    "name": "string"
  }
}
```


Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[project \(p. 142\)](#)

The project you wish to update.

Type: [Project \(p. 178\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 211\)](#).

ArgumentException

An invalid argument was specified.

HTTP Status Code: 400

LimitExceededException

A limit was exceeded.

HTTP Status Code: 400

NotFoundException

The specified entity was not found.

HTTP Status Code: 400

ServiceAccountException

There was a problem with the service account.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

Data Types

The AWS Device Farm API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AccountSettings](#) (p. 146)
- [Artifact](#) (p. 148)
- [Counters](#) (p. 150)
- [CPU](#) (p. 152)
- [CreateRemoteAccessSessionConfiguration](#) (p. 153)
- [Device](#) (p. 154)
- [DeviceMinutes](#) (p. 157)
- [DevicePool](#) (p. 158)
- [DevicePoolCompatibilityResult](#) (p. 160)
- [ExecutionConfiguration](#) (p. 161)
- [IncompatibilityMessage](#) (p. 162)
- [Job](#) (p. 163)
- [Location](#) (p. 166)
- [MonetaryAmount](#) (p. 167)
- [NetworkProfile](#) (p. 168)
- [Offering](#) (p. 170)
- [OfferingPromotion](#) (p. 172)
- [OfferingStatus](#) (p. 173)
- [OfferingTransaction](#) (p. 174)
- [Problem](#) (p. 175)
- [ProblemDetail](#) (p. 177)
- [Project](#) (p. 178)
- [Radios](#) (p. 179)
- [RecurringCharge](#) (p. 180)

- [RemoteAccessSession](#) (p. 181)
- [Resolution](#) (p. 184)
- [Rule](#) (p. 185)
- [Run](#) (p. 187)
- [Sample](#) (p. 191)
- [ScheduleRunConfiguration](#) (p. 193)
- [ScheduleRunTest](#) (p. 195)
- [Suite](#) (p. 198)
- [Test](#) (p. 201)
- [TrialMinutes](#) (p. 204)
- [UniqueProblem](#) (p. 205)
- [Upload](#) (p. 206)

AccountSettings

A container for account-level settings within AWS Device Farm.

Contents

awsAccountNumber

The AWS account number specified in the `AccountSettings` container.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 16.

Required: No

defaultJobTimeoutMinutes

The default number of minutes (at the account level) a test run will execute before it times out. Default value is 60 minutes.

Type: Integer

Required: No

maxJobTimeoutMinutes

The maximum number of minutes a test run will execute before it times out.

Type: Integer

Required: No

maxSlots

The maximum number of device slots that the AWS account can purchase. Each maximum is expressed as an `offering-id:number` pair, where the `offering-id` represents one of the IDs returned by the `ListOfferings` command.

Type: String to integer map

Required: No

trialMinutes

Information about an AWS account's usage of free trial device minutes.

Type: [TrialMinutes \(p. 204\)](#) object

Required: No

unmeteredDevices

Returns the unmetered devices you have purchased or want to purchase.

Type: String to integer map

Valid Map Keys: `ANDROID` | `IOS`

Required: No

unmeteredRemoteAccessDevices

Returns the unmetered remote access devices you have purchased or want to purchase.

Type: String to integer map

Valid Map Keys: `ANDROID` | `IOS`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Artifact

Represents the output of a test. Examples of artifacts include logs and screenshots.

Contents

arn

The artifact's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

extension

The artifact's file extension.

Type: String

Required: No

name

The artifact's name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

type

The artifact's type.

Allowed values include the following:

- UNKNOWN: An unknown type.
- SCREENSHOT: The screenshot type.
- DEVICE_LOG: The device log type.
- MESSAGE_LOG: The message log type.
- RESULT_LOG: The result log type.
- SERVICE_LOG: The service log type.
- WEBKIT_LOG: The web kit log type.
- INSTRUMENTATION_OUTPUT: The instrumentation type.
- EXERCISER_MONKEY_OUTPUT: For Android, the artifact (log) generated by an Android fuzz test.
- CALABASH_JSON_OUTPUT: The Calabash JSON output type.
- CALABASH_PRETTY_OUTPUT: The Calabash pretty output type.
- CALABASH_STANDARD_OUTPUT: The Calabash standard output type.
- CALABASH_JAVA_XML_OUTPUT: The Calabash Java XML output type.
- AUTOMATION_OUTPUT: The automation output type.
- APPIUM_SERVER_OUTPUT: The Appium server output type.
- APPIUM_JAVA_OUTPUT: The Appium Java output type.
- APPIUM_JAVA_XML_OUTPUT: The Appium Java XML output type.

- `APPIUM_PYTHON_OUTPUT`: The Appium Python output type.
- `APPIUM_PYTHON_XML_OUTPUT`: The Appium Python XML output type.
- `EXPLORER_EVENT_LOG`: The Explorer event log output type.
- `EXPLORER_SUMMARY_LOG`: The Explorer summary log output type.
- `APPLICATION_CRASH_REPORT`: The application crash report output type.
- `XCTEST_LOG`: The XCode test output type.

Type: String

Valid Values: `UNKNOWN` | `SCREENSHOT` | `DEVICE_LOG` | `MESSAGE_LOG` | `VIDEO_LOG` | `RESULT_LOG` | `SERVICE_LOG` | `WEBKIT_LOG` | `INSTRUMENTATION_OUTPUT` | `EXERCISER_MONKEY_OUTPUT` | `CALABASH_JSON_OUTPUT` | `CALABASH_PRETTY_OUTPUT` | `CALABASH_STANDARD_OUTPUT` | `CALABASH_JAVA_XML_OUTPUT` | `AUTOMATION_OUTPUT` | `APPIUM_SERVER_OUTPUT` | `APPIUM_JAVA_OUTPUT` | `APPIUM_JAVA_XML_OUTPUT` | `APPIUM_PYTHON_OUTPUT` | `APPIUM_PYTHON_XML_OUTPUT` | `EXPLORER_EVENT_LOG` | `EXPLORER_SUMMARY_LOG` | `APPLICATION_CRASH_REPORT` | `XCTEST_LOG` | `VIDEO`

Required: No

url

The pre-signed Amazon S3 URL that can be used with a corresponding GET request to download the artifact's file.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Counters

Represents entity counters.

Contents

errored

The number of errored entities.

Type: Integer

Required: No

failed

The number of failed entities.

Type: Integer

Required: No

passed

The number of passed entities.

Type: Integer

Required: No

skipped

The number of skipped entities.

Type: Integer

Required: No

stopped

The number of stopped entities.

Type: Integer

Required: No

total

The total number of entities.

Type: Integer

Required: No

warned

The number of warned entities.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

CPU

Represents the amount of CPU that an app is using on a physical device.

Note that this does not represent system-wide CPU usage.

Contents

architecture

The CPU's architecture, for example x86 or ARM.

Type: String

Required: No

clock

The clock speed of the device's CPU, expressed in hertz (Hz). For example, a 1.2 GHz CPU is expressed as 1200000000.

Type: Double

Required: No

frequency

The CPU's frequency.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

CreateRemoteAccessSessionConfiguration

Creates the configuration settings for a remote access session, including the device model and type.

Contents

billingMethod

Returns the billing method for purposes of configuring a remote access session.

Type: String

Valid Values: `METERED` | `UNMETERED`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Device

Represents a device type that an app is tested against.

Contents

arn

The device's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

carrier

The device's carrier.

Type: String

Required: No

cpu

Information about the device's CPU.

Type: [CPU \(p. 152\)](#) object

Required: No

fleetName

The name of the fleet to which this device belongs.

Type: String

Required: No

fleetType

The type of fleet to which this device belongs. Possible values for fleet type are PRIVATE and PUBLIC.

Type: String

Required: No

formFactor

The device's form factor.

Allowed values include:

- PHONE: The phone form factor.
- TABLET: The tablet form factor.

Type: String

Valid Values: `PHONE` | `TABLET`

Required: No

heapSize

The device's heap size, expressed in bytes.

Type: Long

Required: No

image

The device's image name.

Type: String

Required: No

manufacturer

The device's manufacturer name.

Type: String

Required: No

memory

The device's total memory size, expressed in bytes.

Type: Long

Required: No

model

The device's model name.

Type: String

Required: No

name

The device's display name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

os

The device's operating system type.

Type: String

Required: No

platform

The device's platform.

Allowed values include:

- ANDROID: The Android platform.
- IOS: The iOS platform.

Type: String

Valid Values: `ANDROID` | `IOS`

Required: No

radio

The device's radio.

Type: String

Required: No

remoteAccessEnabled

Specifies whether remote access has been enabled for the specified device.

Type: Boolean

Required: No

resolution

The resolution of the device.

Type: [Resolution \(p. 184\)](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

DeviceMinutes

Represents the total (metered or unmetered) minutes used by the resource to run tests. Contains the sum of minutes consumed by all children.

Contents

metered

When specified, represents only the sum of metered minutes used by the resource to run tests.

Type: Double

Required: No

total

When specified, represents the total minutes used by the resource to run tests.

Type: Double

Required: No

unmetered

When specified, represents only the sum of unmetered minutes used by the resource to run tests.

Type: Double

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

DevicePool

Represents a collection of device types.

Contents

arn

The device pool's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

description

The device pool's description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

name

The device pool's name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

rules

Information about the device pool's rules.

Type: Array of [Rule \(p. 185\)](#) objects

Required: No

type

The device pool's type.

Allowed values include:

- **CURATED**: A device pool that is created and managed by AWS Device Farm.
- **PRIVATE**: A device pool that is created and managed by the device pool developer.

Type: String

Valid Values: `CURATED` | `PRIVATE`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

DevicePoolCompatibilityResult

Represents a device pool compatibility result.

Contents

compatible

Whether the result was compatible with the device pool.

Type: Boolean

Required: No

device

The device (phone or tablet) that you wish to return information about.

Type: [Device \(p. 154\)](#) object

Required: No

incompatibilityMessages

Information about the compatibility.

Type: Array of [IncompatibilityMessage \(p. 162\)](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

ExecutionConfiguration

Represents configuration information about a test run, such as the execution timeout (in minutes).

Contents

accountsCleanup

True if account cleanup is enabled at the beginning of the test; otherwise, false.

Type: Boolean

Required: No

appPackagesCleanup

True if app package cleanup is enabled at the beginning of the test; otherwise, false.

Type: Boolean

Required: No

jobTimeoutMinutes

The number of minutes a test run will execute before it times out.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

IncompatibilityMessage

Represents information about incompatibility.

Contents

message

A message about the incompatibility.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

type

The type of incompatibility.

Allowed values include:

- ARN: The ARN.
- FORM_FACTOR: The form factor (for example, phone or tablet).
- MANUFACTURER: The manufacturer.
- PLATFORM: The platform (for example, Android or iOS).
- REMOTE_ACCESS_ENABLED: Whether the device is enabled for remote access.
- APPIUM_VERSION: The Appium version for the test.

Type: String

Valid Values: ARN | PLATFORM | FORM_FACTOR | MANUFACTURER | REMOTE_ACCESS_ENABLED | APPIUM_VERSION

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Job

Represents a device.

Contents

arn

The job's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

counters

The job's result counters.

Type: [Counters \(p. 150\)](#) object

Required: No

created

When the job was created.

Type: Timestamp

Required: No

device

The device (phone or tablet).

Type: [Device \(p. 154\)](#) object

Required: No

deviceMinutes

Represents the total (metered or unmetered) minutes used by the job.

Type: [DeviceMinutes \(p. 157\)](#) object

Required: No

message

A message about the job's result.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

name

The job's name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

result

The job's result.

Allowed values include:

- PENDING: A pending condition.
- PASSED: A passing condition.
- WARNED: A warning condition.
- FAILED: A failed condition.
- SKIPPED: A skipped condition.
- ERRORED: An error condition.
- STOPPED: A stopped condition.

Type: String

Valid Values: PENDING | PASSED | WARNED | FAILED | SKIPPED | ERRORED | STOPPED

Required: No

started

The job's start time.

Type: Timestamp

Required: No

status

The job's status.

Allowed values include:

- PENDING: A pending status.
- PENDING_CONCURRENCY: A pending concurrency status.
- PENDING_DEVICE: A pending device status.
- PROCESSING: A processing status.
- SCHEDULING: A scheduling status.
- PREPARING: A preparing status.
- RUNNING: A running status.
- COMPLETED: A completed status.
- STOPPING: A stopping status.

Type: String

Valid Values: PENDING | PENDING_CONCURRENCY | PENDING_DEVICE | PROCESSING | SCHEDULING | PREPARING | RUNNING | COMPLETED | STOPPING

Required: No

stopped

The job's stop time.

Type: Timestamp

Required: No

type

The job's type.

Allowed values include the following:

- `BUILTIN_FUZZ`: The built-in fuzz type.
- `BUILTIN_EXPLORER`: For Android, an app explorer that will traverse an Android app, interacting with it and capturing screenshots at the same time.
- `APPIUM_JAVA_JUNIT`: The Appium Java JUnit type.
- `APPIUM_JAVA_TESTNG`: The Appium Java TestNG type.
- `APPIUM_PYTHON`: The Appium Python type.
- `APPIUM_WEB_JAVA_JUNIT`: The Appium Java JUnit type for Web apps.
- `APPIUM_WEB_JAVA_TESTNG`: The Appium Java TestNG type for Web apps.
- `APPIUM_WEB_PYTHON`: The Appium Python type for Web apps.
- `CALABASH`: The Calabash type.
- `INSTRUMENTATION`: The Instrumentation type.
- `UIAUTOMATION`: The uiautomation type.
- `UIAUTOMATOR`: The uiautomator type.
- `XCTEST`: The XCode test type.
- `XCTEST_UI`: The XCode UI test type.

Type: String

Valid Values: `BUILTIN_FUZZ` | `BUILTIN_EXPLORER` | `APPIUM_JAVA_JUNIT` | `APPIUM_JAVA_TESTNG` | `APPIUM_PYTHON` | `APPIUM_WEB_JAVA_JUNIT` | `APPIUM_WEB_JAVA_TESTNG` | `APPIUM_WEB_PYTHON` | `CALABASH` | `INSTRUMENTATION` | `UIAUTOMATION` | `UIAUTOMATOR` | `XCTEST` | `XCTEST_UI`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Location

Represents a latitude and longitude pair, expressed in geographic coordinate system degrees (for example 47.6204, -122.3491).

Elevation is currently not supported.

Contents

latitude

The latitude.

Type: Double

Required: Yes

longitude

The longitude.

Type: Double

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

MonetaryAmount

A number representing the monetary amount for an offering or transaction.

Contents

amount

The numerical amount of an offering or transaction.

Type: Double

Required: No

currencyCode

The currency code of a monetary amount. For example, `USD` means "U.S. dollars."

Type: String

Valid Values: `USD`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

NetworkProfile

An array of settings that describes characteristics of a network profile.

Contents

arn

The Amazon Resource Name (ARN) of the network profile.

Type: String

Length Constraints: Minimum length of 32.

Required: No

description

The description of the network profile.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

downlinkBandwidthBits

The data throughput rate in bits per second, as an integer from 0 to 104857600.

Type: Long

Required: No

downlinkDelayMs

Delay time for all packets to destination in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

downlinkJitterMs

Time variation in the delay of received packets in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

downlinkLossPercent

Proportion of received packets that fail to arrive from 0 to 100 percent.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

name

The name of the network profile.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

type

The type of network profile. Valid values are listed below.

Type: String

Valid Values: `CURATED` | `PRIVATE`

Required: No

uplinkBandwidthBits

The data throughput rate in bits per second, as an integer from 0 to 104857600.

Type: Long

Required: No

uplinkDelayMs

Delay time for all packets to destination in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

uplinkJitterMs

Time variation in the delay of received packets in milliseconds as an integer from 0 to 2000.

Type: Long

Required: No

uplinkLossPercent

Proportion of transmitted packets that fail to arrive from 0 to 100 percent.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 100.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Offering

Represents the metadata of a device offering.

Contents

description

A string describing the offering.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

id

The ID that corresponds to a device offering.

Type: String

Length Constraints: Minimum length of 32.

Required: No

platform

The platform of the device (e.g., ANDROID or IOS).

Type: String

Valid Values: ANDROID | IOS

Required: No

recurringCharges

Specifies whether there are recurring charges for the offering.

Type: Array of [RecurringCharge \(p. 180\)](#) objects

Required: No

type

The type of offering (e.g., "RECURRING") for a device.

Type: String

Valid Values: RECURRING

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

OfferingPromotion

Represents information about an offering promotion.

Contents

description

A string describing the offering promotion.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

id

The ID of the offering promotion.

Type: String

Length Constraints: Minimum length of 4.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

OfferingStatus

The status of the offering.

Contents

effectiveOn

The date on which the offering is effective.

Type: Timestamp

Required: No

offering

Represents the metadata of an offering status.

Type: [Offering \(p. 170\)](#) object

Required: No

quantity

The number of available devices in the offering.

Type: Integer

Required: No

type

The type specified for the offering status.

Type: String

Valid Values: PURCHASE | RENEW | SYSTEM

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

OfferingTransaction

Represents the metadata of an offering transaction.

Contents

cost

The cost of an offering transaction.

Type: [MonetaryAmount \(p. 167\)](#) object

Required: No

createdOn

The date on which an offering transaction was created.

Type: Timestamp

Required: No

offeringPromotionId

The ID that corresponds to a device offering promotion.

Type: String

Length Constraints: Minimum length of 4.

Required: No

offeringStatus

The status of an offering transaction.

Type: [OfferingStatus \(p. 173\)](#) object

Required: No

transactionId

The transaction ID of the offering transaction.

Type: String

Length Constraints: Minimum length of 32.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Problem

Represents a specific warning or failure.

Contents

device

Information about the associated device.

Type: [Device \(p. 154\)](#) object

Required: No

job

Information about the associated job.

Type: [ProblemDetail \(p. 177\)](#) object

Required: No

message

A message about the problem's result.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

result

The problem's result.

Allowed values include:

- PENDING: A pending condition.
- PASSED: A passing condition.
- WARNED: A warning condition.
- FAILED: A failed condition.
- SKIPPED: A skipped condition.
- ERRORED: An error condition.
- STOPPED: A stopped condition.

Type: String

Valid Values: PENDING | PASSED | WARNED | FAILED | SKIPPED | ERRORED | STOPPED

Required: No

run

Information about the associated run.

Type: [ProblemDetail \(p. 177\)](#) object

Required: No

suite

Information about the associated suite.

Type: [ProblemDetail \(p. 177\)](#) object

Required: No

test

Information about the associated test.

Type: [ProblemDetail \(p. 177\)](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

ProblemDetail

Information about a problem detail.

Contents

arn

The problem detail's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

name

The problem detail's name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Project

Represents an operating-system neutral workspace for running and managing tests.

Contents

arn

The project's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

created

When the project was created.

Type: Timestamp

Required: No

defaultJobTimeoutMinutes

The default number of minutes (at the project level) a test run will execute before it times out. Default value is 60 minutes.

Type: Integer

Required: No

name

The project's name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Radios

Represents the set of radios and their states on a device. Examples of radios include Wi-Fi, GPS, Bluetooth, and NFC.

Contents

bluetooth

True if Bluetooth is enabled at the beginning of the test; otherwise, false.

Type: Boolean

Required: No

gps

True if GPS is enabled at the beginning of the test; otherwise, false.

Type: Boolean

Required: No

nfc

True if NFC is enabled at the beginning of the test; otherwise, false.

Type: Boolean

Required: No

wifi

True if Wi-Fi is enabled at the beginning of the test; otherwise, false.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

RecurringCharge

Specifies whether charges for devices will be recurring.

Contents

cost

The cost of the recurring charge.

Type: [MonetaryAmount \(p. 167\)](#) object

Required: No

frequency

The frequency in which charges will recur.

Type: String

Valid Values: MONTHLY

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

RemoteAccessSession

Represents information about the remote access session.

Contents

arn

The Amazon Resource Name (ARN) of the remote access session.

Type: String

Length Constraints: Minimum length of 32.

Required: No

billingMethod

The billing method of the remote access session. Possible values include `METERED` or `UNMETERED`. For more information about metered devices, see [AWS Device Farm terminology](#)."

Type: String

Valid Values: `METERED` | `UNMETERED`

Required: No

created

The date and time the remote access session was created.

Type: Timestamp

Required: No

device

The device (phone or tablet) used in the remote access session.

Type: [Device \(p. 154\)](#) object

Required: No

deviceMinutes

The number of minutes a device is used in a remote access session (including setup and teardown minutes).

Type: [DeviceMinutes \(p. 157\)](#) object

Required: No

endpoint

The endpoint for the remote access session.

Type: String

Required: No

message

A message about the remote access session.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

name

The name of the remote access session.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

result

The result of the remote access session. Can be any of the following:

- PENDING: A pending condition.
- PASSED: A passing condition.
- WARNED: A warning condition.
- FAILED: A failed condition.
- SKIPPED: A skipped condition.
- ERRORED: An error condition.
- STOPPED: A stopped condition.

Type: String

Valid Values: PENDING | PASSED | WARNED | FAILED | SKIPPED | ERRORED | STOPPED

Required: No

started

The date and time the remote access session was started.

Type: Timestamp

Required: No

status

The status of the remote access session. Can be any of the following:

- PENDING: A pending status.
- PENDING_CONCURRENCY: A pending concurrency status.
- PENDING_DEVICE: A pending device status.
- PROCESSING: A processing status.
- SCHEDULING: A scheduling status.
- PREPARING: A preparing status.
- RUNNING: A running status.
- COMPLETED: A completed status.
- STOPPING: A stopping status.

Type: String

Valid Values: PENDING | PENDING_CONCURRENCY | PENDING_DEVICE | PROCESSING | SCHEDULING | PREPARING | RUNNING | COMPLETED | STOPPING

Required: No

stopped

The date and time the remote access session was stopped.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Resolution

Represents the screen resolution of a device in height and width, expressed in pixels.

Contents

height

The screen resolution's height, expressed in pixels.

Type: Integer

Required: No

width

The screen resolution's width, expressed in pixels.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Rule

Represents a condition for a device pool.

Contents

attribute

The rule's stringified attribute. For example, specify the value as `"\"abc\""`.

Allowed values include:

- **ARN**: The ARN.
- **FORM_FACTOR**: The form factor (for example, phone or tablet).
- **MANUFACTURER**: The manufacturer.
- **PLATFORM**: The platform (for example, Android or iOS).
- **REMOTE_ACCESS_ENABLED**: Whether the device is enabled for remote access.
- **APPIUM_VERSION**: The Appium version for the test.

Type: String

Valid Values: `ARN | PLATFORM | FORM_FACTOR | MANUFACTURER | REMOTE_ACCESS_ENABLED | APPIUM_VERSION`

Required: No

operator

The rule's operator.

- **EQUALS**: The equals operator.
- **GREATER_THAN**: The greater-than operator.
- **IN**: The in operator.
- **LESS_THAN**: The less-than operator.
- **NOT_IN**: The not-in operator.
- **CONTAINS**: The contains operator.

Type: String

Valid Values: `EQUALS | LESS_THAN | GREATER_THAN | IN | NOT_IN | CONTAINS`

Required: No

value

The rule's value.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Run

Represents an app on a set of devices with a specific test and configuration.

Contents

arn

The run's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

billingMethod

Specifies the billing method for a test run: `metered` or `unmetered`. If the parameter is not specified, the default value is `metered`.

Type: String

Valid Values: `METERED` | `UNMETERED`

Required: No

completedJobs

The total number of completed jobs.

Type: Integer

Required: No

counters

The run's result counters.

Type: [Counters \(p. 150\)](#) object

Required: No

created

When the run was created.

Type: Timestamp

Required: No

deviceMinutes

Represents the total (metered or unmetered) minutes used by the test run.

Type: [DeviceMinutes \(p. 157\)](#) object

Required: No

message

A message about the run's result.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

name

The run's name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

networkProfile

The network profile being used for a test run.

Type: [NetworkProfile \(p. 168\)](#) object

Required: No

platform

The run's platform.

Allowed values include:

- ANDROID: The Android platform.
- IOS: The iOS platform.

Type: String

Valid Values: ANDROID | IOS

Required: No

result

The run's result.

Allowed values include:

- PENDING: A pending condition.
- PASSED: A passing condition.
- WARNED: A warning condition.
- FAILED: A failed condition.
- SKIPPED: A skipped condition.
- ERRORED: An error condition.
- STOPPED: A stopped condition.

Type: String

Valid Values: PENDING | PASSED | WARNED | FAILED | SKIPPED | ERRORED | STOPPED

Required: No

started

The run's start time.

Type: Timestamp

Required: No

status

The run's status.

Allowed values include:

- PENDING: A pending status.
- PENDING_CONCURRENCY: A pending concurrency status.
- PENDING_DEVICE: A pending device status.
- PROCESSING: A processing status.
- SCHEDULING: A scheduling status.
- PREPARING: A preparing status.
- RUNNING: A running status.
- COMPLETED: A completed status.
- STOPPING: A stopping status.

Type: String

Valid Values: PENDING | PENDING_CONCURRENCY | PENDING_DEVICE | PROCESSING | SCHEDULING | PREPARING | RUNNING | COMPLETED | STOPPING

Required: No

stopped

The run's stop time.

Type: Timestamp

Required: No

totalJobs

The total number of jobs for the run.

Type: Integer

Required: No

type

The run's type.

Must be one of the following values:

- BUILTIN_FUZZ: The built-in fuzz type.
- BUILTIN_EXPLORER: For Android, an app explorer that will traverse an Android app, interacting with it and capturing screenshots at the same time.
- APPIUM_JAVA_JUNIT: The Appium Java JUnit type.
- APPIUM_JAVA_TESTNG: The Appium Java TestNG type.
- APPIUM_PYTHON: The Appium Python type.
- APPIUM_WEB_JAVA_JUNIT: The Appium Java JUnit type for Web apps.
- APPIUM_WEB_JAVA_TESTNG: The Appium Java TestNG type for Web apps.
- APPIUM_WEB_PYTHON: The Appium Python type for Web apps.
- CALABASH: The Calabash type.
- INSTRUMENTATION: The Instrumentation type.
- UIAUTOMATION: The uiautomation type.
- UIAUTOMATOR: The uiautomator type.

- XCTEST: The XCode test type.
- XCTEST_UI: The XCode UI test type.

Type: String

Valid Values: BUILTIN_FUZZ | BUILTIN_EXPLORER | APPIUM_JAVA_JUNIT | APPIUM_JAVA_TESTNG | APPIUM_PYTHON | APPIUM_WEB_JAVA_JUNIT | APPIUM_WEB_JAVA_TESTNG | APPIUM_WEB_PYTHON | CALABASH | INSTRUMENTATION | UIAUTOMATION | UIAUTOMATOR | XCTEST | XCTEST_UI

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Sample

Represents a sample of performance data.

Contents

arn

The sample's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

type

The sample's type.

Must be one of the following values:

- CPU: A CPU sample type. This is expressed as the app processing CPU time (including child processes) as reported by process, as a percentage.
- MEMORY: A memory usage sample type. This is expressed as the total proportional set size of an app process, in kilobytes.
- NATIVE_AVG_DRAWTIME
- NATIVE_FPS
- NATIVE_FRAMES
- NATIVE_MAX_DRAWTIME
- NATIVE_MIN_DRAWTIME
- OPENGL_AVG_DRAWTIME
- OPENGL_FPS
- OPENGL_FRAMES
- OPENGL_MAX_DRAWTIME
- OPENGL_MIN_DRAWTIME
- RX
- RX_RATE: The total number of bytes per second (TCP and UDP) that are sent, by app process.
- THREADS: A threads sample type. This is expressed as the total number of threads per app process.
- TX
- TX_RATE: The total number of bytes per second (TCP and UDP) that are received, by app process.

Type: String

Valid Values: CPU | MEMORY | THREADS | RX_RATE | TX_RATE | RX | TX | NATIVE_FRAMES | NATIVE_FPS | NATIVE_MIN_DRAWTIME | NATIVE_AVG_DRAWTIME | NATIVE_MAX_DRAWTIME | OPENGL_FRAMES | OPENGL_FPS | OPENGL_MIN_DRAWTIME | OPENGL_AVG_DRAWTIME | OPENGL_MAX_DRAWTIME

Required: No

url

The pre-signed Amazon S3 URL that can be used with a corresponding GET request to download the sample's file.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

ScheduleRunConfiguration

Represents the settings for a run. Includes things like location, radio states, auxiliary apps, and network profiles.

Contents

auxiliaryApps

A list of auxiliary apps for the run.

Type: Array of strings

Length Constraints: Minimum length of 32.

Required: No

billingMethod

Specifies the billing method for a test run: `metered` or `unmetered`. If the parameter is not specified, the default value is `metered`.

Type: String

Valid Values: `METERED` | `UNMETERED`

Required: No

extraDataPackageArn

The ARN of the extra data for the run. The extra data is a .zip file that AWS Device Farm will extract to external data for Android or the app's sandbox for iOS.

Type: String

Length Constraints: Minimum length of 32.

Required: No

locale

Information about the locale that is used for the run.

Type: String

Required: No

location

Information about the location that is used for the run.

Type: [Location \(p. 166\)](#) object

Required: No

networkProfileArn

Reserved for internal use.

Type: String

Length Constraints: Minimum length of 32.

Required: No

radios

Information about the radio states for the run.

Type: [Radios \(p. 179\)](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

ScheduleRunTest

Represents additional test settings.

Contents

filter

The test's filter.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 8192.

Required: No

parameters

The test's parameters, such as the following test framework parameters and fixture settings:

For Calabash tests:

- `profile`: A cucumber profile, for example, "my_profile_name".
- `tags`: You can limit execution to features or scenarios that have (or don't have) certain tags, for example, "@smoke" or "@smoke,~@wip".

For Appium tests (all types):

- `appium_version`: The Appium version. Currently supported values are "1.4.16", "1.6.3", "latest", and "default".
 - "latest" will run the latest Appium version supported by Device Farm (1.6.3).
 - For "default", Device Farm will choose a compatible version of Appium for the device. The current behavior is to run 1.4.16 on Android devices and iOS 9 and earlier, 1.6.3 for iOS 10 and later.
 - This behavior is subject to change.

For Fuzz tests (Android only):

- `event_count`: The number of events, between 1 and 10000, that the UI fuzz test should perform.
- `throttle`: The time, in ms, between 0 and 1000, that the UI fuzz test should wait between events.
- `seed`: A seed to use for randomizing the UI fuzz test. Using the same seed value between tests ensures identical event sequences.

For Explorer tests:

- `username`: A username to use if the Explorer encounters a login form. If not supplied, no username will be inserted.
- `password`: A password to use if the Explorer encounters a login form. If not supplied, no password will be inserted.

For Instrumentation:

- `filter`: A test filter string. Examples:
 - Running a single test case: "com.android.abc.Test1"
 - Running a single test: "com.android.abc.Test1#smoke"
 - Running multiple tests: "com.android.abc.Test1,com.android.abc.Test2"

For XCTest and XCTestUI:

- filter: A test filter string. Examples:
 - Running a single test class: "LoginTests"
 - Running a multiple test classes: "LoginTests,SmokeTests"
 - Running a single test: "LoginTests/testValid"
 - Running multiple tests: "LoginTests/testValid,LoginTests/testInvalid"

For UIAutomator:

- filter: A test filter string. Examples:
 - Running a single test case: "com.android.abc.Test1"
 - Running a single test: "com.android.abc.Test1#smoke"
 - Running multiple tests: "com.android.abc.Test1,com.android.abc.Test2"

Type: String to string map

Required: No

testPackageArn

The ARN of the uploaded test that will be run.

Type: String

Length Constraints: Minimum length of 32.

Required: No

type

The test's type.

Must be one of the following values:

- BUILTIN_FUZZ: The built-in fuzz type.
- BUILTIN_EXPLORER: For Android, an app explorer that will traverse an Android app, interacting with it and capturing screenshots at the same time.
- APPIUM_JAVA_JUNIT: The Appium Java JUnit type.
- APPIUM_JAVA_TESTNG: The Appium Java TestNG type.
- APPIUM_PYTHON: The Appium Python type.
- APPIUM_WEB_JAVA_JUNIT: The Appium Java JUnit type for Web apps.
- APPIUM_WEB_JAVA_TESTNG: The Appium Java TestNG type for Web apps.
- APPIUM_WEB_PYTHON: The Appium Python type for Web apps.
- CALABASH: The Calabash type.
- INSTRUMENTATION: The Instrumentation type.
- UIAUTOMATION: The uiautomation type.
- UIAUTOMATOR: The uiautomator type.
- XCTEST: The XCode test type.
- XCTEST_UI: The XCode UI test type.

Type: String

Valid Values: BUILTIN_FUZZ | BUILTIN_EXPLORER | APPIUM_JAVA_JUNIT | APPIUM_JAVA_TESTNG | APPIUM_PYTHON | APPIUM_WEB_JAVA_JUNIT | APPIUM_WEB_JAVA_TESTNG | APPIUM_WEB_PYTHON | CALABASH | INSTRUMENTATION | UIAUTOMATION | UIAUTOMATOR | XCTEST | XCTEST_UI

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Suite

Represents a collection of one or more tests.

Contents

arn

The suite's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

counters

The suite's result counters.

Type: [Counters \(p. 150\)](#) object

Required: No

created

When the suite was created.

Type: Timestamp

Required: No

deviceMinutes

Represents the total (metered or unmetered) minutes used by the test suite.

Type: [DeviceMinutes \(p. 157\)](#) object

Required: No

message

A message about the suite's result.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

name

The suite's name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

result

The suite's result.

Allowed values include:

- PENDING: A pending condition.
- PASSED: A passing condition.
- WARNED: A warning condition.
- FAILED: A failed condition.
- SKIPPED: A skipped condition.
- ERRORED: An error condition.
- STOPPED: A stopped condition.

Type: String

Valid Values: PENDING | PASSED | WARNED | FAILED | SKIPPED | ERRORED | STOPPED

Required: No

started

The suite's start time.

Type: Timestamp

Required: No

status

The suite's status.

Allowed values include:

- PENDING: A pending status.
- PENDING_CONCURRENCY: A pending concurrency status.
- PENDING_DEVICE: A pending device status.
- PROCESSING: A processing status.
- SCHEDULING: A scheduling status.
- PREPARING: A preparing status.
- RUNNING: A running status.
- COMPLETED: A completed status.
- STOPPING: A stopping status.

Type: String

Valid Values: PENDING | PENDING_CONCURRENCY | PENDING_DEVICE | PROCESSING | SCHEDULING | PREPARING | RUNNING | COMPLETED | STOPPING

Required: No

stopped

The suite's stop time.

Type: Timestamp

Required: No

type

The suite's type.

Must be one of the following values:

- BUILTIN_FUZZ: The built-in fuzz type.

- `BUILTIN_EXPLORER`: For Android, an app explorer that will traverse an Android app, interacting with it and capturing screenshots at the same time.
- `APPIUM_JAVA_JUNIT`: The Appium Java JUnit type.
- `APPIUM_JAVA_TESTNG`: The Appium Java TestNG type.
- `APPIUM_PYTHON`: The Appium Python type.
- `APPIUM_WEB_JAVA_JUNIT`: The Appium Java JUnit type for Web apps.
- `APPIUM_WEB_JAVA_TESTNG`: The Appium Java TestNG type for Web apps.
- `APPIUM_WEB_PYTHON`: The Appium Python type for Web apps.
- `CALABASH`: The Calabash type.
- `INSTRUMENTATION`: The Instrumentation type.
- `UIAUTOMATION`: The uiautomation type.
- `UIAUTOMATOR`: The uiautomator type.
- `XCTEST`: The XCode test type.
- `XCTEST_UI`: The XCode UI test type.

Type: String

Valid Values: `BUILTIN_FUZZ` | `BUILTIN_EXPLORER` | `APPIUM_JAVA_JUNIT` | `APPIUM_JAVA_TESTNG` | `APPIUM_PYTHON` | `APPIUM_WEB_JAVA_JUNIT` | `APPIUM_WEB_JAVA_TESTNG` | `APPIUM_WEB_PYTHON` | `CALABASH` | `INSTRUMENTATION` | `UIAUTOMATION` | `UIAUTOMATOR` | `XCTEST` | `XCTEST_UI`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Test

Represents a condition that is evaluated.

Contents

arn

The test's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

counters

The test's result counters.

Type: [Counters \(p. 150\)](#) object

Required: No

created

When the test was created.

Type: Timestamp

Required: No

deviceMinutes

Represents the total (metered or unmetered) minutes used by the test.

Type: [DeviceMinutes \(p. 157\)](#) object

Required: No

message

A message about the test's result.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

name

The test's name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

result

The test's result.

Allowed values include:

- PENDING: A pending condition.
- PASSED: A passing condition.
- WARNED: A warning condition.
- FAILED: A failed condition.
- SKIPPED: A skipped condition.
- ERRORED: An error condition.
- STOPPED: A stopped condition.

Type: String

Valid Values: PENDING | PASSED | WARNED | FAILED | SKIPPED | ERRORED | STOPPED

Required: No

started

The test's start time.

Type: Timestamp

Required: No

status

The test's status.

Allowed values include:

- PENDING: A pending status.
- PENDING_CONCURRENCY: A pending concurrency status.
- PENDING_DEVICE: A pending device status.
- PROCESSING: A processing status.
- SCHEDULING: A scheduling status.
- PREPARING: A preparing status.
- RUNNING: A running status.
- COMPLETED: A completed status.
- STOPPING: A stopping status.

Type: String

Valid Values: PENDING | PENDING_CONCURRENCY | PENDING_DEVICE | PROCESSING | SCHEDULING | PREPARING | RUNNING | COMPLETED | STOPPING

Required: No

stopped

The test's stop time.

Type: Timestamp

Required: No

type

The test's type.

Must be one of the following values:

- BUILTIN_FUZZ: The built-in fuzz type.

- `BUILTIN_EXPLORER`: For Android, an app explorer that will traverse an Android app, interacting with it and capturing screenshots at the same time.
- `APPIUM_JAVA_JUNIT`: The Appium Java JUnit type.
- `APPIUM_JAVA_TESTNG`: The Appium Java TestNG type.
- `APPIUM_PYTHON`: The Appium Python type.
- `APPIUM_WEB_JAVA_JUNIT`: The Appium Java JUnit type for Web apps.
- `APPIUM_WEB_JAVA_TESTNG`: The Appium Java TestNG type for Web apps.
- `APPIUM_WEB_PYTHON`: The Appium Python type for Web apps.
- `CALABASH`: The Calabash type.
- `INSTRUMENTATION`: The Instrumentation type.
- `UIAUTOMATION`: The uiautomation type.
- `UIAUTOMATOR`: The uiautomator type.
- `XCTEST`: The XCode test type.
- `XCTEST_UI`: The XCode UI test type.

Type: String

Valid Values: `BUILTIN_FUZZ` | `BUILTIN_EXPLORER` | `APPIUM_JAVA_JUNIT` | `APPIUM_JAVA_TESTNG` | `APPIUM_PYTHON` | `APPIUM_WEB_JAVA_JUNIT` | `APPIUM_WEB_JAVA_TESTNG` | `APPIUM_WEB_PYTHON` | `CALABASH` | `INSTRUMENTATION` | `UIAUTOMATION` | `UIAUTOMATOR` | `XCTEST` | `XCTEST_UI`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

TrialMinutes

Represents information about free trial device minutes for an AWS account.

Contents

remaining

The number of free trial minutes remaining in the account.

Type: Double

Required: No

total

The total number of free trial minutes that the account started with.

Type: Double

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

UniqueProblem

A collection of one or more problems, grouped by their result.

Contents

message

A message about the unique problems' result.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

problems

Information about the problems.

Type: Array of [Problem \(p. 175\)](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Upload

An app or a set of one or more tests to upload or that have been uploaded.

Contents

arn

The upload's ARN.

Type: String

Length Constraints: Minimum length of 32.

Required: No

contentType

The upload's content type (for example, "application/octet-stream").

Type: String

Length Constraints: Minimum length of 0. Maximum length of 64.

Required: No

created

When the upload was created.

Type: Timestamp

Required: No

message

A message about the upload's result.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

metadata

The upload's metadata. For example, for Android, this contains information that is parsed from the manifest and is displayed in the AWS Device Farm console after the associated app is uploaded.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 8192.

Required: No

name

The upload's file name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

status

The upload's status.

Must be one of the following values:

- FAILED: A failed status.
- INITIALIZED: An initialized status.
- PROCESSING: A processing status.
- SUCCEEDED: A succeeded status.

Type: String

Valid Values: INITIALIZED | PROCESSING | SUCCEEDED | FAILED

Required: No

type

The upload's type.

Must be one of the following values:

- ANDROID_APP: An Android upload.
- IOS_APP: An iOS upload.
- WEB_APP: A web application upload.
- EXTERNAL_DATA: An external data upload.
- APPIUM_JAVA_JUNIT_TEST_PACKAGE: An Appium Java JUnit test package upload.
- APPIUM_JAVA_TESTNG_TEST_PACKAGE: An Appium Java TestNG test package upload.
- APPIUM_PYTHON_TEST_PACKAGE: An Appium Python test package upload.
- APPIUM_WEB_JAVA_JUNIT_TEST_PACKAGE: An Appium Java JUnit test package upload.
- APPIUM_WEB_JAVA_TESTNG_TEST_PACKAGE: An Appium Java TestNG test package upload.
- APPIUM_WEB_PYTHON_TEST_PACKAGE: An Appium Python test package upload.
- CALABASH_TEST_PACKAGE: A Calabash test package upload.
- INSTRUMENTATION_TEST_PACKAGE: An instrumentation upload.
- UIAUTOMATION_TEST_PACKAGE: A uiautomation test package upload.
- UIAUTOMATOR_TEST_PACKAGE: A uiautomator test package upload.
- XCTEST_TEST_PACKAGE: An XCode test package upload.
- XCTEST_UI_TEST_PACKAGE: An XCode UI test package upload.

Type: String

Valid Values: ANDROID_APP | IOS_APP | WEB_APP | EXTERNAL_DATA |
APPIUM_JAVA_JUNIT_TEST_PACKAGE | APPIUM_JAVA_TESTNG_TEST_PACKAGE |
APPIUM_PYTHON_TEST_PACKAGE | APPIUM_WEB_JAVA_JUNIT_TEST_PACKAGE |
APPIUM_WEB_JAVA_TESTNG_TEST_PACKAGE | APPIUM_WEB_PYTHON_TEST_PACKAGE |
CALABASH_TEST_PACKAGE | INSTRUMENTATION_TEST_PACKAGE | UIAUTOMATION_TEST_PACKAGE |
UIAUTOMATOR_TEST_PACKAGE | XCTEST_TEST_PACKAGE | XCTEST_UI_TEST_PACKAGE

Required: No

url

The pre-signed Amazon S3 URL that was used to store a file through a corresponding PUT request.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signature Version 4 Signing Process](#) in the *Amazon Web Services General Reference*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: `AWS4-HMAC-SHA256`

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: `access_key/YYYYMMDD/region/service/aws4_request`.

For more information, see [Task 2: Create a String to Sign for Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value:
20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Handling Dates in Signature Version 4](#) in the *Amazon Web Services General Reference*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS Security Token Service, go to [AWS Services That Work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from the AWS Security Token Service, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Task 1: Create a Canonical Request For Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all AWS services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 400

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidAction

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

InvalidClientTokenId

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

InvalidParameterCombination

Parameters that must not be used together were used together.

HTTP Status Code: 400

InvalidParameterValue

An invalid or out-of-range value was supplied for the input parameter.

HTTP Status Code: 400

InvalidQueryParameter

The AWS query string is malformed or does not adhere to AWS standards.

HTTP Status Code: 400

MalformedQueryString

The query string contains a syntax error.

HTTP Status Code: 404

MissingAction

The request is missing an action or a required parameter.

HTTP Status Code: 400

MissingAuthenticationToken

The request must contain either a valid (registered) AWS access key ID or X.509 certificate.

HTTP Status Code: 403

MissingParameter

A required parameter for the specified action is not supplied.

HTTP Status Code: 400

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400